



**FestiveLights™**  
For business

2021/2022 Collection



## Welcome to the Festive Lights for Business winter brochure, 2021/2022.

With over 20 years of lighting experience, we've got the knowledge, expertise and product ranges to make sure you've got everything you need to bring every event to light! Over the past two decades, we've polished our products and services to perfection, from tailored quotes to bespoke products, for installations of every size.

We won't settle for anything less than the very best quality and we're constantly expanding and developing our products to keep ahead of the trends; keeping pace with technological advancements in an exciting and ever-evolving industry. Our lighting ranges are well equipped to light up weddings, hotels, corporate events and festivals, to name a few. There is literally no job too big or too small!

We make sure every order is packaged with care and efficiency, offering worldwide and next day delivery options. We keep our 64,000sqft distribution centre packed to the rafters with every product you could ever need (plus a few more for good measure!) to make sure that when you order, we deliver.

Our team is here to guide you, so please don't hesitate to get in touch.

**Mark, Dan, Zoe, Martin & Helen**  
Your Business team



### Meet the team

Our festive team are here to help you create the perfect display this Christmas, no job is too big or small.



**Mark Brown**  
Head of Business



**Zoe Wilcox**  
Business Sales



**Dan Maddison**  
Business Sales



**Martin Coop**  
Head of Projects



**Helen Burrell**  
Projects Designer

### CONTENTS

<b>ConnectPro™ range</b>	<b>07</b>
String lights	
Festoon lights	
Icicle lights	
Cut-to-length lighting	
Curtain lights & net lights	
Clusters & garlands	
Motifs	
Accessories	
<b>FestoonPro™ range</b>	<b>34</b>
Belts	
Bulbs	
Accessories	
<b>ConnectGo™ range</b>	<b>44</b>
String lights	
Festoon lights	
Icicle lights	
Cluster lights	
Curtain lights	
Net lights	
Motifs	
Garlands	
Accessories	
<b>Sculptures</b>	<b>66</b>
<b>Commercial Trees</b>	<b>68</b>
<b>Twinkly</b>	<b>70</b>
Resell and Retail	
Twinkly Pro and Projects	
Cone Trees	
Showroom	



## Service with a trusted Smile from our door to yours.

At Festive Lights, we pride ourselves on our ability to deliver unparalleled service, from sales, after sales support, and administration, through to picking, packing, and despatching.

Our staff combine years of industry experience to ensure we tailor the service to our customers' expectations and our brand obligations. We ensure that every order is followed by a swift despatch service, meaning all orders are quickly processed and sent on their way to our customers.

Our 64,000sqft distribution space, with scalable packing stations, ensures we can meet peak demands. Technology, such as handheld scanners and a logical ERP (Enterprise Resource Planning) system, ensures stock accuracy and efficiency when picking orders, giving our team confidence that SLAs (Service Level Agreements) can be consistently met.

Having our own distribution centre, who also partner with Fulfilment Crowd (a market-leading 3PL firm), ultimately ensures that we can stay ahead of the

competition, whilst also offering a personal service which wouldn't be possible if outsourcing. At the heart of our daily activities is our ability to meet the demands of all our customers, including our own market leading brands:

**Festive Lights** - The UK's leading online retailer of decorative lighting.

**Festive Lights for Business** - Business dedicated lighting specialist.

**Disklok** - World leading car security brand.

**DRiBOX** - Award winning weatherproof connection box 'Making Connections Simple'.

**MiRiDER** Market leading folding electric bike providing 'Smiles for Miles'.

**Twinkly** - The UK's exclusive distributor of the smartest lighting brand on the planet.

Part of the FL Group

**Festive Lights**

**Festive Lights**  
For business

**disklok**

**DRiBOX**  
CONNECTIONS MADE SIMPLE

**MiRiDER**  
Folding eBike

**twinkly**

Our Wigan based team relish the challenge of delivering excellence day after day, from order to your door.



Mix and match products within the range  
String lights, festoons, icicles, rope light, neon flex, strip light, clusters, curtains, nets, motifs, garlands and figures



## Superior quality lights, recommended by the professionals.


Offering reassuring performance for all commercial displays, this high quality connectable system uses durable rubber cabling and innovative bulb sealing technology.

With an IP65 rating and advanced connections, these lights are built to withstand changeable weather conditions, making them perfect for prolonged outdoor use.

electrical connection and superior protection against moisture ingress.

We've taken extra special care of every detail with these lights, so you don't have to worry about anything, even down to the unique, wing-shaped connectors which make secure tightening a doddle even in wet conditions. The LEDs are glued into specially aligned polycarbonate caps, using epoxy resin, which ensures a reliable and consistent

We're always adding new lines to this range, making sure we're ahead of the game with emerging trends, and meaning your displays never lose their sparkle.



Power your display from 1 source



Create bespoke displays



Mix & match



Rated IP65 Weatherproof



2 year warranty



IP65



CE

UK CA



### ConnectPro system specification

<b>POWER:</b> 220-240V, 4A max.	<b>MAX SYSTEM WATTAGE:</b> 720W	<b>LED SPEC:</b> 3V 20mA emitting approx. ≈ 4 lumens	<b>COLOUR TEMPERATURE:</b> Warm White 2,700k White 6,400k	<b>RUBBER CABLE TYPE:</b> Power lead 2 x 1.0mm <sup>2</sup> (H05RN-F) Light string 1 x 0.5mm <sup>2</sup> (H03RN-F)
---------------------------------------	------------------------------------	--	---	---



SKU: MV021 system plug

Pins: 2 pin 240V  
Max LED: 7,500 LEDs / 950m  
Fuse: 13A

Power Supply: MAX 720W  
Power Supply (W): 3.5W  
Voltage: 220-240V ~

Hertz: 50Hz  
Max Current Per LED: 20mA  
Rectifier: 4A Bridge



MV003

## ConnectPro™ String Lights

The most iconic and versatile of the lighting world, string lights can be used to style any event. Wrapped around large trees, used to create curtains, or for show-stopping canopies, these adaptable lights are connectable up to 1,500 metres.

Combine them with any of the ConnectPro accessories to make installation a breeze, whatever the venue size.



ConnectPro™ connectors



MV001 LED bulb and casing

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectPro string lights			
<b>CAP SIZE:</b> 7mm diameter	<b>RUBBER CABLE:</b> 1 x 0.5mm <sup>2</sup>	<b>LED SPACING:</b> 125mm	<b>STRING WATTAGE:</b> 3.5W - 5W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>DIMMABLE WITH:</b> SKU FLO42 Dimmer starter cable



MV001



MV007



MV032



MV001



MV003



MV013

### MV001

5m set, black cable, 40 LEDs per set, MAX 205 sets connected from MV021. 160 lumens. LED colours:



### MV003

10m set, black cable, 80 LEDs per set, MAX 205 sets connected from MV021. 320 lumens. LED colours:



### MV032

5m set, white cable, 40 LEDs per set, MAX 205 sets connected from MV021. 160 lumens. LED colours:



### MV007

10m set, white cable, 80 LEDs per set, MAX 205 sets connected from MV021. 320 lumens. LED colours:



### MV002

5m set, black cable, 40 LEDs per set, MAX 205 sets connected from MV021. 160 lumens. LED colours:



### MV004

10m set, black cable, 80 LEDs per set, MAX 205 sets connected from MV021. 320 lumens. LED colours:



### MV013

10m set, black cable, 50 LEDs per set, MAX 205 sets connected from MV021. 200 lumens. LED colours:



### MV069

3m set, white cable, 24 LEDs per set, MAX 205 sets connected from MV021. 96 lumens. LED colours:



### MV092

10m set, black cable, 80 LEDs per set, MAX 205 sets connected from MV021. LED colours:



### MV094 NEW

10m set, black cable, 80 LEDs per set, MAX 15 sets connected from MV095B. LED colours:



NEW TO THE CONNECTPRO™ SYSTEM



MV094

## ConnectPro™ Colour Select Lights

NEW

Brand new for this year, our colour-changing strings add an extra dimension to your display. With 8 different colours, including red, green, blue, white, yellow, sea blue, purple and multi-colour, these lights make every installation stand out from the crowd.

There's a handy 8 hour timer, for effortless lighting and even a remote control with a 20m range, so you can stay in control of your lights at the touch of a button. The lights feature 4 eye-catching functions, static, flash, chasing and wave and there's a speed setting too, so you can choose whether to have your lights flashing fast or slow.



ConnectPro™ colour change RF controller




MV095B starter cable

White LED colour temperature is 3,600K  
Warm White LED colour temperature is 2,700K

ConnectPro string lights			
<b>CAP SIZE:</b> 7mm diameter	<b>RUBBER CABLE:</b> 1 x 0.5mm <sup>2</sup>	<b>LED SPACING:</b> 125mm	<b>STRING WATTAGE:</b> 20W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>POWERED BY:</b> SKU: MV095B



Red



Green



Blue



White



Yellow



Sea Blue



Pink



Multi


**MV094**

10m string, black cable, 80 LEDs, colour select function, MAX 15 sets connected from MV095B. 960 lumens.

**MV095B**

2m starter cable for colour select lights, rectifier, powers max wattage of 300W, 1 connector port.

Colour change strings are compatible with all ConnectPro™ accessories.



MV072

## ConnectPro™ Dual Colour Lights

These dual colour string lights give your display even more flexibility than ever before. Using the dedicated power cord and controller, you can choose between static bright white, static warm white, or gradual changing – which softly changes between the two colours. Compatible with all ConnectPro accessories, and with all the same great benefits of this amazing range, the string and power cords are available in black or white rubber cabling.



ConnectPro™ connectors



MV074 starter cable

White LED colour temperature is 3,600K  
Warm White LED colour temperature is 2,700K

ConnectPro string lights			
<b>CAP SIZE:</b> 7mm diameter	<b>RUBBER CABLE:</b> 1 x 0.5mm <sup>2</sup>	<b>LED SPACING:</b> 125mm	<b>STRING WATTAGE:</b> 14W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>POWERED BY:</b> SKU: MV074



**MV072**  
White LED setting



**MV072**  
Warm white LED setting



**MV072**  
White LED setting



**MV072**  
Warm white LED setting

**MV072**

10m string, black cable, 80 LEDs, white and warm white function, MAX 5 sets connected from MV074. 640 lumens.

**MV073**

10m string, white cable, 80 LEDs, white and warm white function, MAX 5 sets connected from MV074, 640 lumens.

**MV074B**

1.5m black rubber cable power cord for MV072 and MV073.

**MV074W**

1.5m white rubber cable power cord for MV072 and MV073.

Dual colour strings are compatible with all ConnectPro™ accessories.



MV071

## ConnectPro™ Festoon Lights

With scope for runs of up to 800m, our ConnectPro festoon lights are perfect for dressing large trees, being draped between posts or outlining buildings – to name a few.

These super bright polycarbonate covered bulbs, with handy hanging hooks, are pre-assembled for hassle-free event lighting. Connected with the ConnectPro ring and curtain accessories, you can use them to create stunning ceiling canopies.



MV066 LED bulb



MV064 LED bulb

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectPro festoon lights			
<b>CAP SIZE:</b> 45-60mm diameter	<b>RUBBER CABLE:</b> 1 x 0.5mm <sup>2</sup>	<b>BULB SPACING:</b> 50cm	<b>STRING WATTAGE:</b> 3.5W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>DIMMABLE WITH:</b> SKU FLO42 Dimmer starter cable



MV064



MV064



MV065



MV065



MV066



MV066



MV071



MV071



All festoons bulb spacing

### MV064

5m set, black cable, 10 bulbs per set, MAX 160 sets connected from MV021. Clear G45 cap, 25 lumen per bulb  
LED colours:



### MV065

5m set, black cable, 10 bulbs per set, MAX 160 sets connected from MV021. Opaque G45 cap, 25 lumen per bulb  
LED colours:



### MV066

5m set, black cable, 10 bulbs per set, MAX 160 sets connected from MV021. Opaque G45 cap, 25 lumen per bulb  
LED colours:



### MV071

5m set, black cable, 10 bulbs per set, MAX 160 sets connected from MV021. Clear A60 cap, 25 lumen per bulb  
LED colours:





MV075

## ConnectPro™ Icicle Lights

ConnectPro LED icicle lights are extremely robust and designed for commercial use. Typically used for following the contours of buildings and structures, but also for suspending above walkways.

Being able to connect up to 500m is particularly convenient in town centres, and our flash bulb models add an extra magical touch.



10cm icicle strand spacing



Icicle LED and casing

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectPro icicle lights			
<b>CAP SIZE:</b> 7mm diameter	<b>RUBBER CABLE:</b> 1 x 0.5mm <sup>2</sup>	<b>LED SPACING:</b> 100mm	<b>STRING WATTAGE:</b> 7W / 17.5W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>DIMMABLE WITH:</b> SKU FLO42 Dimmer starter cable



MV011



MV012




MV088



MV011



MV090



All icicles share a repeating drop length sequence- 20/40/60cm

### MV009

5m set, black cable, 120 LEDs per set, MAX 102 sets connected from MV021. 480 lumens. LED colours:



### MV086

2m set, black cable, 60 LEDs per set, MAX 102 sets connected from MV021. 240 lumens. LED colours:



### MV010

5m set, black cable, 80 LEDs per set, MAX 102 sets connected from MV021. 480 lumens. LED colours:



### MV087

2m set, black cable, 60 LEDs per set, MAX 102 sets connected from MV021. 240 lumens. LED colours:



### MV011

5m set, white cable, 120 LEDs per set, MAX 102 sets connected from MV021. 480 lumens. LED colours:



### MV088

2m set, white cable, 60 LEDs per set, MAX 102 sets connected from MV021. 240 lumens. LED colours:



### MV012

5m set, white cable, 120 LEDs per set, MAX 102 sets connected from MV021. 480 lumens. LED colours:



### MV089

2m set, white cable, 60 LEDs per set, MAX 102 sets connected from MV021. 240 lumens. LED colours:



### MV048

5m set, white cable, 120 LEDs per set, MAX 102 sets connected from MV021. 480 lumens. LED colours:



### MV090

10m set, black cable, 360 LEDs per set, MAX 72 sets connected from MV021. 540 lumens. LED colours:



### MV075

Single tube, black cable, 72 LEDs, MAX 104 sets connected from MV021. 108 lumens. LED colours:



NEW TO THE CONNECTPRO™ SYSTEM



RL001

ConnectPro™ Rope Light **NEW**

Our market leading cut-to-length lights allow you to create a display that's entirely tailored to your individual needs. You can have both the rope light, and our brand new ultra-bright strip light, cut from 1m to 100m. With a great range of connectable accessories, this is a simple indoor and outdoor plug and play solution for many applications.

Working temperature: -20°C to 60°C



ConnectPro™ connector to continue additional rope light lengths

Use ConnectPro™ accessories with your rope light

White LED colour temperature is 3,600K  
Warm White LED colour temperature is 2,700K

ConnectPro rope light			
<b>TUBE SIZE:</b> 13mm diameter	<b>CUT LENGTH:</b> 1-100m in metre intervals	<b>LED:</b> 36 LEDs per metre	<b>LED WATTAGE:</b> 0.064W per LED
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>DIMMABLE:</b> No



RL001PI



RL001G



RL001B



RL001R



RL001W




RL001WW



RL001M



RL001M



RL006




FL-605



AC-CAP



AC-CON  
Female connector



On the product page, add the female connector to your cut to length rope light and enjoy the option to add more lengths, colours and all ConnectPro™ products and accessories in one display. It's never been this easy incorporating rope light into your display, and powering everything from the same starter cable!

**RL001**

36 LEDs/m, 1m cut indicators, 13mm tubing, 100m max. Powered by MV021. 260/m lumens. LED colours:



**AC-CAP**

End cap for cut to length rope light. This finalises the connection.

**MV021**

2m starter cable, rectifier, powers up to 7,600 LEDs, 1 connector port.

**RL006**

1 metre PVC strip mount.

**FL-605**


Clear plastic mount clips, 10 pack, secure your installation.

**AC-CON**

Female connector for cut to length rope light. This allows further connections of ConnectPro™ products.

An end cap or female connector is required for each length of rope light ordered.

NEW TO THE CONNECTPRO™ SYSTEM



RL015PI

ConnectPro™ Neon Flex

NEW

The biggest and most exciting trend to hit the lighting world, every commercial display needs neon! In warm white, white, blue, green, red or pink, there are 120 LEDs per metre, meaning your display will definitely stand out from the crowd. Cut from 1 metre to 50 metres, choose whatever length you need to create a bright and vibrant installation. Super flexible, this neon flex light can be bent into any shape and, since it's IP65 rated, you can create any display anywhere!



ConnectPro™ connector to continue additional neon flex lengths

Use ConnectPro™ accessories with your neon flex

White LED colour temperature is 3,600K  
Warm White LED colour temperature is 2,700K

ConnectPro neon flex			
<b>TUBE SIZE:</b> 17 x 7mm	<b>CUT LENGTH:</b> 1-100m in metre intervals	<b>LED:</b> 120 LEDs per metre	<b>LED WATTAGE:</b> 0.07W per LED
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>DIMMABLE:</b> No



RL015PI



RL015G



RL015B



RL015R



RL015W



RL015WW



RL015




FL-605



AC-CAP-N



AC-CON-N  
Female connector



On the product page, add the female connector to your cut to length neon flex and enjoy the option to add more lengths, colours and all ConnectPro™ products and accessories in one display. It's never been this easy incorporating neon flex into your display, and powering everything from the same starter cable!

RL015

120 LEDs/m, 1m cut indicators, single sided, 50m max. Powered by MV021. 400/m lumens. LED colours:



AC-CAP-N

End cap for cut to length neon flex. This finalises the connection.

MV021

2m starter cable, rectifier, powers up to 7,600 LEDs, 1 connector port.

AC-CON-N

Female connector for cut to length neon flex. This allows further connections of ConnectPro™ products.

RL006

1 metre PVC strip mount.

An end cap or female connector is required for each length of neon flex ordered.

FL-605

Clear plastic mount clips, 10 pack, secure your installation.

NEW TO THE CONNECTPRO™ SYSTEM



RL014

ConnectPro™ Strip Light **NEW**

Featuring 60 SMD LEDs per metre, in a variety of colours including red, green, blue, white, warm white and pink, this cut to length strip light boasts a super bright 350 lumen output per metre. The flexible yet sturdy construction allows you to sculpt it around corners for a perfect fit! Popular for adding a splash of vibrant colour to parties, weddings, and Christmas displays, this strip light is perfect for permanent displays in bars and restaurants too. The IP65 rating also means it provides its year-round brightness either indoors or outdoors.




ConnectPro™ connector to continue additional strip light lengths

Use ConnectPro™ accessories with your strip light

White LED colour temperature is 3,600K  
Warm White LED colour temperature is 2,700K

ConnectPro strip light			
<b>TUBE SIZE:</b> 12 x 7mm	<b>CUT LENGTH:</b> 1-100m in metre intervals	<b>LED:</b> 60 SMD LEDs per metre	<b>LED WATTAGE:</b> 0.08W per LED
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>DIMMABLE:</b> No



RL014PI

RL014G

RL014B

RL014R



RL014W



RL014WW



RL014




AC115



AC-CAP-S



AC-CON-S



On the product page, add the female connector to your cut to length strip light and enjoy the option to add more lengths, colours and all ConnectPro™ products and accessories in one display. It's never been this easy incorporating strip light into your display, and powering everything from the same starter cable!

**RL014**

60 LEDs/m, 1m cut indicators, single sided, 100m max. Powered by MV021. 1,000/m lumens. LED colours:



**AC-CAP-S**

End cap for cut to length strip light. This finalises the connection.

**MV021**

2m starter cable, rectifier, powers up to 7,600 LEDs, 1 connector port.

**AC-CON-S**

Female connector for cut to length strip light. This allows further connections of ConnectPro™ products.


**RL006**

1 metre PVC strip mount.

An end cap or female connector is required for each length of strip light ordered.

**AC115**

Clear plastic mount clips, 10 pack, secure your installation.



MV056



MV031



MV031




MV056



MV081, net light



MV081, net light



MV081, net light

## ConnectPro™ Curtain Lights & Net Lights

The quickest way to add professional quality lighting to any space, curtain lights are popular for decorating large areas, and they're great for when the light strings need to be precisely arranged.

The ConnectPro range gives your event space coverage of up to 70m in width, and is easy to install.



ConnectPro™ connectors



MV081 LED bulb and casing

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectPro curtain lights			
<b>CAP SIZE:</b> 7mm diameter	<b>RUBBER CABLE:</b> 1 x 0.5mm <sup>2</sup>	<b>BULB SPACING:</b> 100mm	<b>STRING WATTAGE:</b> 14W/35W/70W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>DIMMABLE WITH:</b> SKU FLO42 Dimmer starter cable

### MV031

2m x 2.5m, white cable, 500 bulbs per set, 20 drop lengths, MAX 10 sets connected from MV021. 2,000 lumens. LED colours:



### MV056

2m x 2m, white cable, 400 bulbs per set, 20 drop lengths, MAX 15 sets connected from MV021. 1,600 lumens. LED colours:



### MV081 NET LIGHT

2m x 2m, black cable, 180 bulbs per set, MAX 46 sets connected from MV021. 720 lumens. LED colours:



### MV035 NET LIGHT

1.8m x 2m (WxH), black cable, 210 bulbs per set, MAX 36 sets connected from MV021. LED colours:






MV054

## ConnectPro™ Garland and Cluster Lights

With more LEDs per metre, cluster lights are great for adding impressive brightness with minimal effort! Most often used to highlight the contours and eaves of buildings, you can connect up to 200m of these ConnectPro clusters all from one plug. Wherever your display, whether indoors or out, any design is possible.



ConnectPro™ connectors



Branded cable tie

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectPro garland and cluster lights			
<b>CAP SIZE:</b> 7mm diameter	<b>RUBBER CABLE:</b> 1 x 0.5mm <sup>2</sup>	<b>BULB SPACING:</b> 25mm	<b>STRING WATTAGE:</b> 17.5W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>DIMMABLE WITH:</b> SKU FLO42 Dimmer starter cable



MV061

Decorations not included




MV061

Decorations not included



**INCLUDES DECORATIONS** MV068



MV054



MV054



MV054 stem spacing

### MV061

3m set, black cable, 40 bulbs per set,  
MAX 185 sets connected from MV021.  
160 lumens. LED colours:



### MV068 **INCLUDES DECORATIONS**

3m set, black cable, 40 bulbs per set,  
MAX 185 sets connected from MV021.  
160 lumens. LED colours:



### MV054 **CLUSTER LIGHT**

5m set, black cable, 250 bulbs per set,  
MAX 30 sets connected from MV021.  
1,000 lumens.

LED colours:





MT021

## ConnectPro™ Motif Lights

ConnectPro LED motif lights are extremely versatile, with the ability to integrate anywhere into a display, whether this is fixed to building facades, suspended from roof lines, within overhead canopies or decorating giant display trees.

Our range of accessories ensures near unlimited project sizes can run from one plug.



ConnectPro™ connectors



Branded cable tie

White LED colour temperature is 3,600K  
Warm White LED colour temperature is 2,700K

ConnectPro motif lights			
<b>CAP SIZE:</b> 7mm diameter	<b>TUBE SIZE:</b> 13mm diameter	<b>RUBBER CABLE:</b> 1 x 0.5mm <sup>2</sup>	<b>MOTIF WATTAGE:</b> 10W - 82.5W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>DIMMABLE WITH:</b> SKU FLO42 Dimmer starter cable



MV016



MV017



MV018



MV019



MT028



MV036W-S

### MV016

45cm snowflake silhouette, 144 LEDs, MAX 54 sets connected from MV021. 576 lumens. LED colours:



### MV017

45cm snowflake silhouette, 144 LEDs, MAX 54 sets connected from MV021. 576 lumens. LED colours:



### MV018

53cm star silhouette, 72 LEDs, MAX 109 sets connected from MV021. 288 lumens. LED colours:



### MV019

45cm star silhouette, 72 LEDs, MAX 54 sets connected from MV021. 288 lumens. LED colours:



### MT028

0.95x0.7m, 145 LEDs per set, MAX 73 sets connected from MV021, 10W. LED colours:



### MV036W-S

60cm 3D star, 250 LEDs, MAX 109 sets connected from MV021. 1,000 lumens. LED colours:



### MT021

2x0.9m, 378 LEDs per set, MAX 35 sets connected from MV021, 20.5W. LED colours:





MT023



MT023



MT033



MT035



MT047



MT048



MT049



MT074



MT072



MT073



MT037



MT071



MT036

Power ConnectPro™ in industrial environments



SKU: MV076 system plug

Pins: 2 pin 240V

Max LED: 7,500 LEDs / 950m

Fuse: 16A

Power Supply: MAX 720W

Power Supply (W): 3.5W

Voltage: 220-240V ~

Hertz: 50Hz

Max Current Per LED: 20mA

Rectifier: 4A Bridge

MT023

4.4x1.1m, 1,781 LEDs per set, MAX 8 sets connected from MV021, 82.5W.

MT033

2x0.8m, 470 LEDs per set, MAX 32 sets connected from MV021, 22.5W.

MT035

1.5x0.75m, 495 LEDs per set, MAX 24 sets connected from MV021, 30W.

MT047

1.1x1m, 360 LEDs per set, MAX 28 sets connected from MV021, 25.5W.

MT048

1x0.78m, 300 LEDs per set, MAX 38 sets connected from MV021, 19W.

MT049

1.1x0.72m, 336 LEDs per set, MAX 32 sets connected from MV021, 22.5W.

MT074

1.1x1m, 360 LEDs per set, MAX 26 sets connected from MV021, 28W.

MT072

2x0.75m, 145 LEDs per set, MAX 26 sets connected from MV021, 26W.

MT073

2x1m, 784 LEDs per set, MAX 19 sets connected from MV021, 37W.

MT037

2x0.75m, 621 LEDs per set, MAX 25 sets connected from MV021, 26W.

MT071

1.7x0.65m, 460 LEDs per set, MAX 33 sets connected from MV021, 20.5W.

MT036

2x0.9m, 635 LEDs per set, MAX 24 sets connected from MV021, 30W.



## ConnectPro™ Accessories

With 14 different accessories in the ConnectPro range, these are the lifeblood of the whole system. They allow the free flow of installations, meaning you've got the flexibility to create any type and size of display you want. Including extension cables in 2m, 5m and 10m options, along with ring and curtain connectors, and 2 or 3 way connectors, the only limit to your display is your imagination!



MV021



MV021-EU



MV022  
MV023  
MV058



MV024



MV025



MV026



MV029



MV057



MV059



MV091



FL042



NEW FL068

### MV021

2m starter cable, rectifier, powers up to 7,600 LEDs, 1 connector port.

Cable colours:



### MV024

Y cord, rubber cable, 1 x male and 2 x female connector ports.

Cable colours:



### MV057

3 way connector, 1 x male connector and 3 x female connectors.

Cable colours:



### FL042

2m starter cable with LED dimmer controller, powers up to 7,600 LEDs, 1 connector port. Cable colours:



### MV021-EU

2m starter cable, rectifier, powers up to 7,600 LEDs, 1 connector port, EU plug.

Cable colours:



### MV025

Curtain top, rubber cable, 1 x male and 9 x female connector ports.

Cable colours:



### MV058

2m extension lead, rubber cable, 1 x male and 1 x female connector port.

Cable colours:



### FL068

NEW

2m starter cable, 6/8 hour timer option, including wireless controller, MAX 480W, 2\*1.5mm2 cable, Cable colours:



### MV022

5m extension lead, rubber cable, 1 x male and 1 x female connector port

Cable colours:



### MV026

5 port ring, 1 x male and 5 x female connector ports.

Cable colours:



### MV059

9 port ring, 1 x male and 9 x female connector ports.

Cable colours:



### MV023

10m extension lead, rubber cable, 1 x male and 1 x female connector port.

Cable colours:



### MV029

T cord, 1 x male and 2 x female connector ports.

Cable colours:



### MV091

Timer controller, 6 or 8 hour timer option, 15cm cable length.


Cable colours:





Our FestoonPro® range is the ultimate bespoke festoon lighting system. Connect up to 1,000m of quality rubber cable belts, in either black or white, choose and replace bulbs individually from our huge range of festoon bulbs, and create show-stopping displays.

Here's how to do it:



1 Select a belt and add to your basket (be sure to add the power cable too).

2 Choose and add bulbs to your basket that fit your belt e.g. E27 or B22.

3 (Optional) Add any additional accessories e.g. extension leads.



## Flexible, professional, commercial quality festoon lighting.

The most popular choice for year round event lighting, festoons create show-stopping statement displays in every venue.


We designed this universal system to extend up to an impressive 1,500 metres, making sure it adapts to any occasion.

With 100% rubber cable and a robust socket design, the harness is suitable for both temporary and permanent displays. The unique winged connections mean that extending the system is effortless but, more importantly, make a weathertight seal you can rely on. The harness also features 30cm, 50cm or 100cm socket spacing, and a rounded cable to be more aesthetically pleasing!

We offer a comprehensive range of outdoor bulbs too, with either B22 or E27 fittings. Our range has everything from

modern LED G45s with opaque (0.5W) or transparent (1.2W) casings, to the latest vintage LED 'filaments' (4W) with dimmable capability. We also have our traditional shape A60 bulbs, which are available in the timeless white and warm white LED colours, perfect for any event.

A full range of accessories integrates seamlessly to make installations more dynamic and to make your life so much easier. The ring connector is definitely the most popular for creating centrepieces and suspended canopies.



Power your display from 1 source



High durability



Mix & match



Rated IP55 Weatherproof



12 month warranty



business@festive-lights.com

business.festive-lights.com

+44 (0)1257 221966

### \*Maximum connection guidance:

Based on 1,500W maximum  
30cm socket spacing:

When using 0.5W bulbs = 3,000 bulbs (1,000m)  
When using 1.2W bulbs = 1,250 bulbs (420m)  
When using 1.5W bulbs = 1,000 bulbs (330m)  
When using 4W bulbs = 375 bulbs (125m)  
When using 15W bulbs = 100 bulbs (30m)

### Maximum connection guidance:

Based on 1,500W maximum  
50cm socket spacing:

When using 0.5W bulbs = 3,000 bulbs (1,500m)  
When using 1.2W bulbs = 1,250 bulbs (620m)  
When using 1.5W bulbs = 1,000 bulbs (500m)  
When using 4W bulbs = 375 bulbs (180m)  
When using 15W bulbs = 100 bulbs (50m)

### Maximum connection guidance:

Based on 1,500W maximum  
100cm socket spacing:

When using 0.5W bulbs = 1,500 bulbs (3,000m)  
When using 1.2W bulbs = 1,250 bulbs (1,250m)  
When using 1.5W bulbs = 1,000 bulbs (1,000m)  
When using 4W bulbs = 375 bulbs (360m)  
When using 15W bulbs = 100 bulbs (100m)



### Connecting

Male and female connectors slot together until the rubber seal is reached. Tighten the exterior cap using the wings, ensuring the connection is weatherproof. Our 7A 240V power cable can support up to 1,500 Watts (e.g. 3,000m of linear festoon lighting). The system meets all EU safety standards and RoHS requirements.



### Lampholder

Our lampholders have been specifically designed to meet IP55 weatherproof standard and feature a durable bulb seal for performance year around. We have incorporated a pair of convenient fixing holes into the lamp which allow permanent or temporary fixing, either onto the side of a soffit or attached to a suspended cable.

## FestoonPro system specification

<b>POWER:</b> 240V	<b>MAX SYSTEM WATTAGE:</b> 1,500W LED or 'Filament'	<b>LED SPEC:</b> E27 (screw) or B22 (bayonet)	<b>SOCKET SPACING:</b> 30cm / 50cm / 100cm	<b>RUBBER CABLE TYPE:</b> Power lead 2 x 1.5mm <sup>2</sup> (HO7RN-F)
-----------------------	---	---	---	---



### Installation guidance:

If suspending without support cable: Max 20m  
If suspending with support cable (every 1m): Max. 150 sets (3,000m)

+44 (0)1257 221966

business.festive-lights.com

business@festive-lights.com



FL010

## FestoonPro™ Belts

With near unlimited uses, our professional festoon harness is most often displayed suspended, such as between lamp posts or fixed directly to buildings - typically to soffits or fascias. Festoons are really popular for dressing town centres, public spaces and large commercial trees, but they're also the go-to event lighting for weddings, festivals and theme parks.



FestoonPro™ E27 belt



E27 bulb and lamp socket

If you already have the harness, our range of LED bulbs can be used to quickly personalise and update your display.

E27 is screw fitting. B22 is bayonet fitting.

FestoonPro belt/harness			
<b>POWER:</b> 240V	<b>MAX SYSTEM WATTAGE:</b> 1,500W LED or 'Filament'	<b>HARNES LENTHS:</b> 5m / 10m	<b>LAMP SOCKET SPACING:</b> 30cm / 50cm / 100cm
<b>LAMP SOCKET SPEC:</b> E27 (screw) or B22 (bayonet)	<b>LED SPEC:</b> E27 (screw) or B22 (bayonet)	<b>RUBBER CABLE TYPE:</b> Power lead 2 x 1.5mm <sup>2</sup> (HO7RN-F)	<b>WARRANTY:</b> 12 months



FL049



FL011



FL012



FL049



FL017



FL048



FL064



FL065



FL010



FL010

### FL010-E27

10m belt, 20 sockets, black cable, screw fitting, 1 connector port.

### FL010-B22

10m belt, 20 sockets, black cable, bayonet fitting, 1 connector port.

### FL011-E27

10m belt, 10 sockets, black cable, screw fitting, 1 connector port.

### FL011-B22

10m belt, 10 sockets, black cable, bayonet fitting, 1 connector port.

### FL012-E27

10m belt, 10 sockets, white cable, screw fitting, 1 connector port.

### FL017-E27

10m long drop belt, 10 sockets, black cable, screw fitting, 1 connector port.

### FL048-E27

5m belt, 10 sockets, black cable, screw fitting, 1 connector port.

### FL048-B22

5m belt, 10 sockets, black cable, bayonet fitting, 1 connector port.

### FL049-E27

5m belt, 15 sockets, black cable, screw fitting, 1 connector port.

### FL049-B22

5m belt, 15 sockets, black cable, bayonet fitting, 1 connector port.

### FL064-E27

5m belt, 15 sockets, white cable, screw fitting, 1 connector port.

### FL065-E27

5m belt, 10 sockets, white cable, screw fitting, 1 connector port.



FL044-E27

## FestoonPro™ Bulbs

For colourful bulbs with a retro style, our full sized A60 and golf ball sized G45 globes are popular options for outdoor displays, with their durable polycarbonate opaque or transparent covers and low power consumption. With bulbs in a variety of colours, sizes and shapes, there's one to suit every project.



FL044-E27 dimensions



SKU: FL044-E27

E27 is screw fitting. B22 is bayonet fitting.

FestoonPro bulbs			
<b>POWER:</b> 240V	<b>MAX SYSTEM WATTAGE:</b> 1,500W LED or 'Filament'	<b>BULB SIZE:</b> 45mm-95mm diameter	<b>LED TYPE:</b> SMD / 'Filament'
<b>BULB WATTAGE:</b> 0.5W - 5W	<b>LED SPEC:</b> E27 (screw) or B22 (bayonet)	<b>BULB CONSTRUCTION:</b> Polycarbonate / Glass	<b>WARRANTY:</b> 12 months



FL013



FL014



FL014



FL044-E27



FL044-E27



FL023



NEW

FL069

G45 globe bulb, screw or bayonet fitting, 2W, 4 SMD 2835 LEDs, 40 lumens. Bulb colours:



FL063W-E27

Screw fitting, 72 white SMD LEDs, 65cm plastic casing, snowing effect, 24cm lead cable, IP65, 432 lumens.

SNOWING

FL013

G45 screw or bayonet fitting, 0.5W, SMD opaque, polycarbonate, 30 lumen  
Bulb colours:



FL014

G45 screw or bayonet fitting, 1.2W, SMD clear, polycarbonate, 100 lumen  
Bulb colours:



FL044-E27

A60 screw fitting, 1.5W, SMD opaque, polycarbonate, 2 x LEDs  
Bulb colours:



FL023

Screw fitting, 3-5W, SMD opaque, polycarbonate, 25 lumen  
Bulb colours:







FL041

## FestoonPro™ Dimmable Bulbs

Each one of our modern, low energy LED bulbs is suited to every harness in the FestoonPro system. Possibly our most popular bulb for long-term outdoor displays, our vintage glass designs feature dimmable 'filament effect LEDs' and boast low power consumption too. They also look fantastic in bars, restaurants and at events.



SKU: FL040



SKU: FL041

E27 is screw fitting. B22 is bayonet fitting.

### FestoonPro bulbs

<b>POWER:</b> 240V	<b>MAX SYSTEM WATTAGE:</b> 1,500W LED or 'Filament'	<b>BULB SIZE:</b> 45mm-95mm diameter	<b>LED TYPE:</b> SMD / 'Filament'
<b>BULB WATTAGE:</b> 0.5W - 8W	<b>LED SPEC:</b> E27 (screw)	<b>BULB CONSTRUCTION:</b> Polycarbonate / Glass	<b>WARRANTY:</b> 12 months



FL041



FL040



FL066



FL060



FL061



FL062



FL031



FL032



FL033



FL034

#### FL041

Diamond screw fitting, 4W, 'filament' LED, glass, 350 lumen, 12x13cm  
Bulb colours:



#### FL040

Crystal screw fitting, 4W, 'filament' LED, glass, 350 lumen, 10x13cm  
Bulb colours:



#### FL066

Screw fitting, 2W, 'filament' LED, plastic, 108 lumen, 4.5x6cm  
Bulb colours:



#### FL060

BT75 screw fitting, 8W, 'filament' LED, glass, 650 lumen, 8x33cm  
Bulb colours:



#### FL061

G180 screw fitting, 8W, 'filament' LED, glass, 650 lumen, 18x22.5cm  
Bulb colours:



#### FL062

BT180 screw fitting, 8W, 'filament' LED, glass, 650 lumen, 18x34cm  
Bulb colours:



#### FL031

A60 screw fitting, 4W, 'filament' LED, glass, 320 lumen, 6x10.6cm  
Bulb colours:



#### FL032

G95 screw fitting, 4W, 'filament' LED, glass, 320 lumen, 9.5x13.5cm  
Bulb colours:



#### FL033

ST64 screw fitting, 4W, 'filament' LED, glass, 320 lumen, 6.4x14.5cm  
Bulb colours:



#### FL034

ST32 screw fitting, 4W, 'filament' LED, glass, 320 lumen, 3x19cm  
Bulb colours:





FL059

## FestoonPro™ Accessories

With 14 types of accessories available in this range, we've made sure you can create the most dynamic festoon displays possible, whilst saving you time and money on each installation.

Extensions are definitely the most popular accessory, allowing lead cables to meet exactly the length you need, or for adding unlit sections in the display. The specially designed 10-way ring connector is superb for creating striking canopies, and our exclusive E27 pendant range also gives you scope to revamp indoor or outdoor light fittings, or existing festoon displays; making sure your display is always on trend.



FL047



FL042



NEW FL068



FL053B



FL057



FL067



FL058



FL059



FL039-E27



FL051-E27



FL052-E27



NEW AC126



NEW AC127



W0592

### FL047

2m starter cable, 1 connector port, rubber cable.

Cable colours:



### FL057

5m extension lead, rubber cable, 1 x male and 1 x female connector ports.

Cable colours:



### FL039-E27

Screw festoon stopper cap, E27 fitment, terminates any socket. IP44.

Stopper colours:



### AC127 NEW

1.8m or 2.4m steel shepherd's crook festoon pole, 2 part build, steel construction, cable holder at the top.

### FL042

2m starter cable, powers up to 480W, dimmer unit, rubber cable.

Cable colours:



### FL067

10m extension lead, rubber cable, 1 x male and 1 x female connector ports.

Cable colours:



### FL051-E27

0.5m pendant drop, rubber cable, 1 x screw lampholder.

Cable colours:



### W0592

20m support wire, 3.5mm, weatherproof PVC coated.

Wire colours:



### FL068 NEW

2m starter cable, 6/8 hour timer option, including wireless controller, MAX 480W, 2\*1.5mm2 cable, Cable colours:



### FL058

Y cord, rubber cable, 1 x male and 2 x female connector ports.

Cable colours:



### FL052-E27

1m pendant drop, rubber cable, 1 x screw lampholder.

Cable colours:



### FL053B

2m starter cable with 16A plug, rubber cable.

Cable colours:



### FL059

30cm ring, rubber cable, 1 x male and 9 x female connector ports.

Cable colours:



### AC126 NEW

1.8m or 2.4m steel festoon pole, 2 part build, steel construction, cable holder at the top.

E27 is screw fitting. B22 is bayonet fitting.



Mix and match products within the range  
String lights, festoons, icicles, clusters, curtains, nets, motifs, garlands and figures



## Connectable lights with a difference – you pick the power!

The most versatile range of connectable lights we've ever stocked, the ConnectGo system gives you ultimate flexibility for your lighting display.

At the cutting edge of low voltage, multi-power-source lighting, this system offers you excellent performance, safety and versatility. Including all of our bestselling lighting products, like string lights, festoons and curtain lights, everything in this range can be powered by either solar, battery, or 31V mains power.

feature our professionally moulded connections, which are designed with shaped wings for a reassuringly strong connection.

There are six power supplies to choose from, for whatever your display needs, so you can power from 50 to 4,000 LEDs (400 metres), all with multifunction capability.

The high quality PVC cable ensures durability in all weather and is backed by our market leading, 2 year anti-rust guarantee. All the products in this revolutionary range



Switch and change power supplies



Mix & match



Rated IP44 Weatherproof



2 year warranty



IP44



CE

UK CA



### ConnectGo system specification

<b>POWER:</b> 31V, DC	<b>MAX SYSTEM WATTAGE:</b> 60W large power pack 36W medium power pack 8.4W small power pack	<b>LED SPEC:</b> 3V, 0.06W, 20mA	<b>COLOUR TEMPERATURE:</b> Warm White 2,700k White 6,400k	<b>PVC CABLE TYPE:</b> 2 x 0.3mm <sup>2</sup>
--------------------------	--	-------------------------------------	---	--



SKU: CG025 large system power pack

Pins: 2 pin 31V  
Max LED: 4,000 LEDs / 400m  
Fuse: 3A

Power Supply: MAX 60W  
Hertz: 50Hz  
Voltage: 31V

Max Current Per LED: 20mA  
Memory Function: Yes

**Multi-functions Include:**  
Steady On, Combination, In Waves, Sequential, Slow-Glow, Flash, Slow Fade, Twinkling



CG002

## ConnectGo™ String Lights

With green and clear PVC, and black rubber, cable options, these versatile strings can be used for a whole host of projects both indoors and out. Adding effortlessly elegant lighting to halls, marquees and large trees, when low voltage is required, these are the go-to lights.

### Power Options

- CG004 AA battery box = 200 LEDs
- CG005 D battery box = 400 LEDs
- CG006 solar panel = 200 LEDs
- CG052 small transformer = 600 LEDs
- CG008 med transformer = 1,600 LEDs
- CG025 large transformer = 4,000 LEDs\*  
(\*1,000 LEDs from each port)

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectGo string lights			
<b>CAP SIZE:</b> 4mm diameter (concave)	<b>PVC CABLE:</b> 2 x 0.3mm <sup>2</sup>	<b>LED SPACING:</b> 100mm	<b>STRING WATTAGE:</b> 0.78W - 1.35W (10m string)
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>MULTI-FUNCTION:</b> Yes



CG001



CG031



CG042



CG027

Rubber cable!



CG026



CG021

### CG001

5m set, clear PVC cable, 50 LEDs per set, MAX 80 sets connected from CG025, 7 lumens per bulb.

LED colours:



### CG027

10m set, black rubber cable, 100 LEDs per set, MAX 40 sets connected from CG025, 7 lumens per bulb.

LED colours:



### CG002

5m set, green PVC cable, 50 LEDs per set, MAX 80 sets connected from CG025, 7 lumens per bulb.

LED colours:



### CG026

5m set, silver wire, 50 LEDs per set, MAX 80 sets connected from CG025, 7 lumens per bulb.

LED colours:



### CG031

5m set, white PVC cable, 50 LEDs per set, MAX 80 sets connected from CG025, 7 lumens per bulb.

LED colours:



### CG021

5m set, clear tube, 50 LEDs per set, MAX 80 sets connected from CG025, 7 lumens per bulb.

LED colours:



### CG042

5m set, green PVC cable, 50 LEDs per set, MAX 80 sets connected from CG025, 4 lumens per bulb.

LED colours:





CG020

## ConnectGo™ Festoon Lights

Fast becoming the most popular lights for event decoration, festoons create lighting displays with serious style, and are the go-to lights for weddings, bars and restaurants.

With full size, retro-inspired A60 bulbs and super bright LEDs, these ConnectGo festoons add decorative lighting to any venue and look great whilst doing it too! Create fabulous canopies with our ring or curtain connectors and join up to 20 sets.

### Power Options

- CG004 AA battery box = 1 set
- CG005 D battery box = 2 sets
- CG006 solar panel = 1 set
- CG052 small transformer = 3 sets
- CG008 med transformer = 11 sets
- CG025 large transformer = 20 sets\*  
(\*5 sets from each port)

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectGo string lights			
<b>CAP SIZE:</b> 40mm - 60mm diameter	<b>LED STYLE:</b> SMD / 'Filament'	<b>LED SPACING:</b> 0.5m	<b>STRING WATTAGE:</b> 3.1W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>MULTI-FUNCTION:</b> Yes



CG020



CG020



CG020



CG033



CG033



CG033



CG048



CG048



CG048

### CG020

A60 5m set, black rubber cable, 10 bulbs per set, 5 SMD LEDs per bulb, MAX 20 sets connected from CG025, 300 lumens. LED colours:



### CG033

A60 5m set, black rubber cable, 10 bulbs per set, 5 SMD LEDs per bulb, MAX 20 sets connected from CG025, 160 lumens. LED colours:



### CG048

Festoon 5m set, black rubber cable, 10 opaque bulbs per set, 5 SMD LEDs per bulb, MAX 20 sets connected from CG025, 300 lumens.

LED colours:



**NEW COLOURS!**

White and warm white



CG003

## ConnectGo™ Icicle Lights

With up to 40m coverage from one plug and multi-function capability, these clear cable icicles are ideally suited to medium scale projects. With their safe operating voltage, dressing the roof line of commercial properties or temporary structures is their ultimate use.

However, they are also a useful option where plug sockets are not accessible, by using our battery power packs, which include convenient 24hr timer controls.

### Power Options

- CG004 AA battery box = 200 LEDs
- CG005 D battery box = 400 LEDs
- CG006 solar panel = 200 LEDs
- CG052 small transformer = 600 LEDs
- CG008 med transformer = 1,600 LEDs
- CG025 large transformer = 4,000 LEDs\*  
(\*1,000 LEDs from each port)

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectGo icicle lights			
<b>CAP SIZE:</b> 4mm diameter (concave)	<b>PVC CABLE:</b> 2 x 0.3mm <sup>2</sup>	<b>LED SPACING:</b> 9cm	<b>STRING WATTAGE:</b> 2.73W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>MULTI-FUNCTION:</b> Yes



CG003



CG003



CG035



CG035

### CG003

5m set, clear PVC cable, 200 LEDs, MAX 20 sets connected from CG025, 7 lumens per bulb.

LED colours:



### CG036

2m set, clear PVC cable, 80 LEDs, MAX 50 sets connected from CG025, 7 lumens per bulb.

LED colours:



### CG035

5m set, black PVC cable, 200 LEDs, MAX 20 sets connected from CG025, 7 lumens per bulb.

LED colours:



### CG037

2m set, black PVC cable, 80 LEDs, MAX 50 sets connected from CG025, 7 lumens per bulb.

LED colours:





CG032

## ConnectGo™ Cluster Lights

With up to 50 metres of coverage from one power source, ConnectGo cluster lights are great for adding impressive brightness with minimal effort! An amazingly useful option for when mains power is an issue, these cluster lights can be used anywhere by using our large battery pack.

### Power Options

- CG004 AA battery box = 200 LEDs
- CG005 D battery box = 400 LEDs
- CG006 solar panel = 200 LEDs
- CG052 small transformer = 600 LEDs
- CG008 med transformer = 1,600 LEDs
- CG025 large transformer = 4,000 LEDs\*  
(\*1,000 LEDs from each port)

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectGo cluster lights			
<b>CAP SIZE:</b> 4mm diameter (concave)	<b>PVC CABLE:</b> 2 x 0.3mm <sup>2</sup>	<b>LED SPACING:</b> 1.35cm	<b>STRING WATTAGE:</b> 4.2W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>MULTI-FUNCTION:</b> Yes




CG032



CG032



CG039



CG039

### CG032

4m set, clear PVC cable, 300 LEDs,  
MAX 13 sets connected from CG025,  
7 lumens per bulb.

LED colours:



### CG039

4m set, green PVC cable, 300 LEDs,  
MAX 13 sets connected from CG025,  
7 lumens per bulb.

LED colours:





CG022

## ConnectGo™ Curtain Lights

With ConnectGo curtains, you can choose between a traditional fairy light cable, and an ultra-modern silver wire with micro LEDs. With the versatility of powering by plug or battery, these curtains make sure you're able to create the ultimate statement in any location.

### Power Options

- CG004 AA battery box = 200 LEDs
- CG005 D battery box = 400 LEDs
- CG006 solar panel = 200 LEDs
- CG052 small transformer = 600 LEDs
- CG008 med transformer = 1,600 LEDs
- CG025 large transformer = 4,000 LEDs\*  
(\*1,000 LEDs from each port)

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectGo curtain lights			
<b>CAP SIZE:</b> 5 / 2mm diameter (Fairy / Firefly)	<b>PVC CABLE:</b> 2 x 0.3mm <sup>2</sup>	<b>LED SPACING:</b> 100mm	<b>STRING WATTAGE:</b> 1.2W / 4.2W / 4.2W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>MULTI-FUNCTION:</b> Yes



CG022



CG022



CG023



CG023

### CG022

2x3m, silver firefly wire, 300 LEDs,  
MAX 13 sets connected from CG025,  
7 lumens per bulb.  
LED colours:



### CG023

2x3m, clear PVC cable, 300 LEDs,  
MAX 13 sets connected from CG025,  
7 lumens per bulb.  
LED colours:



### CG024

1x1m, clear PVC cable, 100 LEDs,  
MAX 40 sets connected from CG025,  
7 lumens per bulb.  
LED colours:





CG028

## ConnectGo™ Net Lights

Pre-built and connectable net lights make decorating larger areas quick and simple. Perfect for draping over trees and hedgerows and to cover walls and windows effortlessly, they can be displayed in any location, indoors or out.

On a durable dark green cable, and with ice white and warm white LED bulb colour options, you can choose between battery and mains power for a versatile display.

### Power Options

- CG004 AA battery box = 200 LEDs
- CG005 D battery box = 400 LEDs
- CG006 solar panel = 200 LEDs
- CG052 small transformer = 600 LEDs
- CG008 med transformer = 1,600 LEDs
- CG025 large transformer = 4,000 LEDs\*  
(\*1,000 LEDs from each port)

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectGo net lights			
<b>LED SIZE:</b> 4mm diameter (concave)	<b>PVC CABLE:</b> 2 x 0.3mm <sup>2</sup>	<b>LED SPACING:</b> 200mm	<b>STRING WATTAGE:</b> 1.96W / 3.92W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>MULTI-FUNCTION:</b> Yes



CG028



CG028



CG029



CG029

### CG028

2x2m, green PVC cable, 140 LEDs,  
MAX 28 sets connected from CG025,  
7 lumens per bulb.

LED colours:



### CG029

3x3m, green PVC cable, 280 LEDs,  
MAX 14 sets connected from CG025,  
7 lumens per bulb.

LED colours:





CG012

## ConnectGo™ Motifs Lights

Rope light motifs are very versatile and can integrate into the ConnectGo system at any point. Stars or snowflakes can mix together with strings, icicles and garlands to create a medium scale Christmas project, such as a grotto or Christmas market.

With their white metal framework, they are easily attached to structures, branches, catenary wires and commercial Christmas trees, and are powered by mains (240V > 31V), or battery for remote installations.

### Power Options

- CG004 AA battery box = 200 LEDs
- CG005 D battery box = 400 LEDs
- CG006 solar panel = 200 LEDs
- CG052 small transformer = 600 LEDs
- CG008 med transformer = 1,600 LEDs
- CG025 large transformer = 4,000 LEDs\*  
(\*1,000 LEDs from each port)

White LED colour temperature is 6,000K  
Warm White LED colour temperature is 2,700K

ConnectGo motif lights			
<b>ROPE LIGHT DIA:</b> 13mm diameter	<b>CG012 LEDs:</b> 120	<b>CG045 LEDs:</b> 30	<b>MOTIF WATTAGE:</b> 1.63W / 0.42W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>MULTI-FUNCTION:</b> Yes



CG012



CG012



CG045



CG045

### CG012

45cm snowflake, clear PVC cable, 120 LEDs, MAX 32 sets connected from CG025, 5 lumens per bulb.  
LED colours:



### CG045

35cm star, clear PVC cable, 30 LEDs, MAX 130 sets connected from CG025, 4 lumens per bulb.  
LED colours:





CG014

## ConnectGo™ Garland Light

Our commercial garland designs capture the essence of Christmas and lend themselves to simplistic installations. Popular for dressing bars, restaurants and hotels, with scope to connect up to 240 metres of garland from the large power pack. Make use of the accessories and alternative power supplies to cover any project request.

### Power Options

- CG004 AA battery box = 200 LEDs
- CG005 D battery box = 400 LEDs
- CG006 solar panel = 200 LEDs
- CG052 small transformer = 600 LEDs
- CG008 med transformer = 1,600 LEDs
- CG025 large transformer = 4,000 LEDs\*  
(\*1,000 LEDs from each port)

Warm White LED colour temperature is 2,700K

ConnectGo garland light			
<b>GARLAND DIA:</b> 30mm diameter	<b>LED SIZE:</b> 4mm diameter (concave)	<b>LED SPACING:</b> 100mm	<b>GARLAND WATTAGE:</b> 0.68W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>MULTI-FUNCTION:</b> Yes



CG014



CG014



CG014



CG014

### CG014

3m garland, dark green PVC cable, 50 LEDs, MAX 80 sets connected from CG025, 252 garland tips, 7 lumens per bulb, 10cm cable length. LED colours:





Deer family, CG051 M / F / K

## ConnectGo™ Figures

Christmas figures transform any scene into the perfect winter wonderland and now you can add even more flexibility to your display with our brand new ConnectGo figures. With the benefit of being multi-power source, these festive figures can be adapted to suit every display, unrestricted by power outlets since you can choose between battery and mains power.

Their safe operating voltage makes them ideal for displays where families and young children may be nearby. Make use of the accessories and alternative power supplies to create a glorious grotto with eye-catching multifunction.

White LED colour temperature is 6,400K  
Warm White LED colour temperature is 2,700K

ConnectGo figures			
<b>CAP SIZE:</b> 4mm diameter (concave)	<b>PVC CABLE:</b> 2 x 0.3mm <sup>2</sup>	<b>LED SPACING:</b> NA	<b>FIGURE WATTAGE:</b> 1.68W - 5.6W
<b>PER LED VOLTAGE:</b> 3V	<b>MAX CURRENT PER LED:</b> 20mA	<b>HERTZ:</b> 50Hzmm	<b>MULTI-FUNCTION:</b> Yes



NEW CG049M



NEW CG049F



NEW CG049K



NEW CG051M



NEW CG051F



NEW CG051K

### CG049M NEW

1.85m wicker stag, brown PVC cable, 400 LEDs, 1,600 lumens, 5.6W.

Small transformer - MAX 1 figure  
Medium transformer - MAX 6 figures  
Large transformer - MAX 8 figures  
LED colours:



### CG051M NEW

1.4m stag, white acrylic cable, 250 LEDs, 1,000 lumens, 3.5W.

Small transformer - MAX 2 figures  
Medium transformer - MAX 10 figures  
Large transformer - MAX 16 figures  
LED colours:



### CG049F NEW

1m wicker doe, brown PVC cable, 350 LEDs, 1,400 lumens, 4.9W.

Small transformer - MAX 1 figure  
Medium transformer - MAX 7 figures  
Large transformer - MAX 8 figures  
LED colours:



### CG051F NEW

70cm doe, white acrylic cable, 200 LEDs, 800 lumens, 2.8W.

Small transformer - MAX 3 figures  
Medium transformer - MAX 12 figures  
Large transformer - MAX 20 figures  
LED colours:



### CG049K NEW

75cm wicker fawn, brown PVC cable, 120 LEDs, 480 lumens, 1.68W.

Small transformer - MAX 5 figures  
Medium transformer - MAX 21 figures  
Large transformer - MAX 32 figures  
LED colours:




### CG051K NEW

56cm fawn stag, white acrylic cable, 100 LEDs, 280 lumens, 1.4W.

Small transformer - MAX 6 figures  
Medium transformer - MAX 25 figures  
Large transformer - MAX 40 figures  
LED colours:





CG008

## ConnectGo™ Accessories

Adding even more flexibility to the ConnectGo range, the six different power options mean your lights can be installed virtually anywhere. Using mains power, you can run up to 600 LEDs (Small), 1,600 LEDs (Medium), or 4,000 LEDs (Large), all boasting 8-function controllers and an in-built memory chip.

If access to mains power is a problem, our battery power pack options are here to save the day; power up to 200 LEDs from the Small or up to 400 LEDs from the Large. Offering the same brightness as mains power, you still get the multifunction and memory capabilities.

We've also got the option of a solar panel, powering a maximum of 200 LEDs and featuring both static and twinkle functions, and our extensive accessory range.

### Power Options

- CG004 AA battery box = 200 LEDs
- CG005 D battery box = 400 LEDs
- CG006 solar panel = 200 LEDs
- CG052 small transformer = 600 LEDs
- CG008 med transformer = 1,600 LEDs
- CG025 large transformer = 4,000 LEDs (1,000 LEDs from each port)

### Colour Key

- Green
- White
- Black
- ✗ Transparent

### Power pack running time guide\*

SMALL BATTERY BOX:	LARGE BATTERY BOX:	SOLAR PANEL:
1 week steady on	1 week steady on	6 hours steady on
2 weeks twinkle on	2 weeks twinkle on	8 hours twinkle on
4 weeks steady timer (6hr on)	4 weeks steady timer (6hr on)	
8 weeks twinkle timer (6hr on)	8 weeks twinkle timer (6hr on)	

\*Using 50 bulb string. Battery brand can vary significantly.



CG004



CG005



CG006



MEMORY CHIP CG052



MEMORY CHIP CG008



MEMORY CHIP CG025



CG017



CG018



CG010



CG011



MEMORY CHIP CG016

### CG004

Small battery box, 30cm cable, 3 x AA batteries, rubber cable.

Cable colours:



### CG008 MEMORY CHIP

Medium transformer, 5m PVC cable, 6 or 8 hour timer, memory chip.

Cable colours:



### CG010

5m extension lead, PVC cable, 1 x male connector and 1 x female connector.

Cable colours:



### CG005

Large battery box, 30cm cable, 3 x D batteries, rubber cable.

Cable colours:



### CG025 MEMORY CHIP

Large transformer, 5m PVC cable, 6 or 8 hour timer, memory chip, 4 x ports. Cable colours:



### CG011

Y connector, 50cm, rubber cable, 1 x male connector and 2 x female connectors.

Cable colours:



### CG006

Solar panel, 2m cable, ground spike, 3 x 1.2V AA 400mAh NiMH, rubber cable.

Cable colours:



### CG017

1m curtain connector, PVC cable, 10 curtain ports.

Cable colours:



### CG016 MEMORY CHIP

EU small transformer, 5m PVC cable, memory chip.

Cable colours:



### CG052 MEMORY CHIP

Small transformer, 5m PVC cable, 6 or 8 hour timer, dimmer function, controller included. Cable colours:



### CG018

10cm ring connector, 9 connector ports.

Cable colours:





LIFE-SIZE FIGURES!

## Indoor & Outdoor Sculptures

Looking for that amazing display piece that will wow onlookers day or night?

Each design perfectly encapsulates its real life counterpart and is brought to life with thousands of LEDs and vibrant colour for unbeatable realism. Each figure is manufactured with a lightweight fibreglass sub-structure, adorned with commercial LED lights and finished with either woven acrylic or fibre reinforced plastic (FRP) for seasonal or permanent use.

Call us on +44 (0)1257 221966 to discuss availability!



3 polar bear styles available



3 penguin styles available



2 stag styles available



Gift box set and 2.6m tree available



## Starry Night Trees

Starry Night trees are fantastic display trees you can install and pack away with ease! Their simple telescopic pole and flexible pre-lit web construction mean maximum impact for minimal effort.

Available in a variety of sizes and covered with super bright LEDs, in either white, warm white or multi-colour, look no further than Starry Night trees if you're looking for the wow factor for your display.



NEW 6121001



NEW 6121002



NEW 6121004



NEW 6121005W



NEW 6121007



NEW 6121016



NEW 6121025



NEW 6121026

**6121025**  
6m flagpole black 5 section (1,304mm)  
51x1.5mm.  
Use with: 6121005W & 6121006

**6121026**  
8m flagpole black 6 section (1,441mm)  
51x1.5mm  
Use with: 6121007

**6121001** NEW  
2m door tree, 100 warm white LEDs,  
2.4W, 10m lead cable, plug-in.  
LED colours:



**6121002** NEW  
2m pole tree, 300 LEDs, 6W, 10m lead  
cable, plug-in.  
LED colours:



**6121003** NEW  
3m pole tree, 480 LEDs, 7.2W,  
10m lead cable, plug-in.  
LED colours:



**6121004** NEW  
4m pole tree, 640 LEDs, 9W, 10m lead  
cable, plug-in.  
LED colours:



**6121004WT** NEW  
4m pole tree, 640 LEDs - 544 warm  
white / 96 white twinkle, 9W, 10m lead  
cable, plug-in. LED colours:



TWINKLE

**6121005W** NEW  
6m flagpole tree, 1,200 LEDs, 15W,  
10m lead cable, plug-in,  
(pole separate). LED colours:



**6121006** NEW  
6m flagpole tree, 1,200 LEDs,  
15W, 10m lead cable, plug-in,  
(pole separate). LED colours:



**6121007** NEW  
8m flagpole tree, 1,520 warm white  
LEDs, 24W, 10m lead cable, plug-in.  
(pole separate). LED colours:



**6121015** NEW  
2m floor standing tree, 200 warm  
white LEDs, 3.6W, 10m lead cable,  
plug-in. LED colours:



**6121016** NEW  
3m floor standing tree, 240 warm  
white LEDs, 3.6V, 10m lead cable,  
plug-in. LED colours:



**6121025** NEW  
6m flagpole black 5 section (1,304mm)  
51x1.5mm

**6121026** NEW  
8m flagpole black 6 section (1,441mm)  
51x1.5mm



## Twinkly for resellers, smart lighting products for your store.

Twinkly has revolutionised the decorative lighting industry with the perfect blend of familiar products and seemingly limitless customisation. Festive Lights are proud to be the UK distributor of the Twinkly range.

Demand for Twinkly products has grown and continues to grow, with the brand having been featured in such publications as Mashable, Wired, Forbes and the New York Times. The product range, similarly, is always growing with strings, clusters, icicles, festoons, wreaths, garlands and pre-lit trees now joined by lines (strip light), (neon effect) flex and squares.

Some of our customers include:



Twinkly is the most advanced product for light decorations. It combines addressable LEDs, a WiFi and Bluetooth controller and most importantly, a state-of-the-art smartphone app allowing you to quickly and easily customise your entire lighting display. Imagine changing the colour of your Christmas tree lights in an instant using just your phone but also being able to control and animate every LED individually to create stunning visual effects that were previously considered impossible for domestic displays. This is in essence what Twinkly provides.

## Interested in selling Twinkly in 2022?

Festive Lights has enjoyed a fantastic relationship with Twinkly and are proud to distribute Twinkly in the UK. If you are interested in stocking Twinkly at your store, please get in touch with us by calling our Twinkly division directly on 01257 228288.

01257 228288

twinkly@festive-lights.com



## Enter the world of smart lighting!

Twinkly's app-controlled lights have revolutionised the Christmas lights market.


Using an app on your smartphone (iOS and Android), or by instructing your smart speaker, you're able to control your whole Twinkly display; syncing different light sets together using the handy grouping function. You can set the colour, pattern and the effects, by mapping every single LED, and can even set your lights to music! With all this power at your fingertips, you'll create the perfect vibe, from a colourful tropical paradise to a cool, winter retreat.




CONTROL VIA APP



CREATE YOUR SCENE



SYNC TO MUSIC



LINK MULTIPLE DISPLAYS



Swipe to choose your colours in the order you want them!



View the Twinkly range at: [business.festive-lights.com/twinkly-for-resellers](https://business.festive-lights.com/twinkly-for-resellers)



## Not just for Christmas!

Whilst Christmas is everyone's passion, Twinkly can now be found in our everyday lives more and more, 24/7, 365 days a year! Our brand-new form factor product line for beautiful interior decorations, aided with Twinkly technology, is going to give rise to countless new use cases. From ambient lighting and artistic collages to the perfect gaming zone, there are so many possibilities, and so much beauty to be created!

The Twinkly retail range can light up your best moments, whatever the occasion. Parties with family and friends, events, and celebrations? Twinkly is more than capable of brightening up all your special memories.



Our best seller.



NEW for 2022

<p><b>String Lights</b> TWS100STP-BUK TWS250STP-BUK TWS400STP-BUK TWS600STP-BUK TWS250SPP-BUK TWS250SPP-TUK TWS400SPP-BUK TWS250GOP-BUK TWS400GOP-BUK</p>	<p><b>Icicle Lights</b> TWS100STP-BUK TWS250STP-BUK TWS400STP-BUK</p> <p><b>Cluster Lights</b> TWC400STP-BUK TWC400GOP-BUK</p> <p><b>Festoon Lights</b> TWF020STP-BUK</p>	<p><b>Curtain Lights</b> TWW210SPP-TUK</p> <p><b>Light Trees</b> TWP300SPP-BUK TWP500SPP-BUK TWP750SPP-BUK TWP01KSPP-BUK</p> <p><b>6m Light Tree Poles</b> TWP-01K-POLE-B TWP-01K-POLE-A</p>	<p><b>Pre-lit Trees</b> TWT500STP-BUK TWT500GOP-BUK TWT400SPP-BUK TWT400STP-BUK TWT400GOP-BUK TWT250STP-BUK TWT250GOP-BUK</p>	<p><b>Garland / Wreath</b> TWG050SPP-BUK TWR050SPP-BUK</p> <p><b>Spritzer</b> TWB200STP-WUK</p> <p><b>Music Dongle</b> TMD01USB</p> <p><b>Twinkly Corner</b> TWCORNER7.5K-UK</p>	<p><b>Flex Light</b> TWFL200STW-WUK</p> 	<p><b>Line Light</b> TWL100STW-BUK</p> 	<p><b>Squares Light</b> <b>NEW for 2022</b> TWQ064STW-09-BUK TWQ064STW-16-BUK</p> 
---	---	--	---	--	---	--	---



## Next generation smart lighting for professionals.

Twinkly Pro is comprised of smart addressable LEDs, and a connected mobile app, to create professional lighting displays; saving cost and time.

The capability to remotely change lighting effects for events, festivals, and celebrations year round gives towns, cities and shopping centres ultimate flexibility, whilst saving resources and time. The online cloud portal provides a virtual space to manage an entire project remotely, under an assigned login.

The Project Manager can control single or multiple elements, sync groups of elements, or manage the full installation; whether it's two wrapped trees in a park, or a combination of curtains, canopies, column displays and 3D features citywide.



WiFi / Bluetooth / Ethernet



Combine



Cloud Management



Upload Effects



Addressable LEDs




Automated Light Mapping

### Map and manage lights from your palm!


Thanks to the ethernet and wi-fi connectivity, all of our controllers communicate with each other and with the Twinkly app. So you can manage them one by one or as a group. This means you can map and manage up to 100,000 lights from your palm.

The cloud portal can also give a council added dynamism for their year round marketing by including colours, patterns and even video to promote key events or cultural celebrations.


Create your own scenarios, wherever your lights are, however you set them up.



Middlesbrough Town Centre



Broadway Shopping Centre, Bradford



## Introducing the Project team, the commercial Christmas lighting and decorating experts.

Thanks to our success in supplying illuminations and supporting projects across the industry, we now have our own in-house team to support clients throughout the whole process. With over 25 years of industry knowledge, creating amazing, individual, commercial Christmas displays is natural for us. Whether the project is town or city centre based, decorating a shopping centre, an attraction or one off schemes, we can realise it together.

We take your brief, deliberate over the perfect scheme, then manufacture, source and assemble the products required to an agreed schedule with the highest detail. Installation is also catered for with options for take down, storage and refurbishment too.



Martin Coop  
Head of Projects



Helen Burrell  
Projects Designer

From planning through to reality, Martin and Helen will share their experience to help create stunning visualisations and custom animations for your next Twinkly project.

## Get in touch, we're a friendly bunch!

Festive Lights and Twinkly are incredibly proud and excited to announce that our brand new UK showroom is now open! Based in Chorley, in the heart of Lancashire, you'll be able to see the revolutionary Twinkly products in action. Book your visit today!

+44 (0)1257 228288

projects@festive-lights.com

**Showroom address**  
Disklok House  
Preston Road, Charnock Richard  
Chorley, Lancashire  
PR7 5HH

Open Monday-Friday, 9-5pm.  
Appointment only.





## Cone trees Business specification

Product code	Indoor / Outdoor	Item Description	Height	Width
TWP-S-CA-4MX3K-STP-G	IP65	<ul style="list-style-type: none"> <li>• Twinkly PRO Pixel cone tree</li> <li>• 3500 RGB addressable LEDs</li> <li>• supply required</li> <li>• 300 watts</li> <li>• 90kg G.W</li> </ul>	4m	1.50m
TWP-S-CA-4MX3K-STP-G-BT		1m cylinder box & topper	5.5m	1.85m
TWP-S-CA-5MX6K-STP-G	IP65	<ul style="list-style-type: none"> <li>• 5m</li> <li>• 6,000 LEDs</li> <li>• 600 watts</li> <li>• 140kg G.W</li> </ul>	5m	1.85m
TWP-S-CA-5MX6K-STP-G-BT		1m cylinder box & topper	6.5m	2.15m
TWP-S-CA-6MX9K-STP-G	IP65	<ul style="list-style-type: none"> <li>• 6m</li> <li>• 9,000 LEDs</li> <li>• 900 watts</li> <li>• 186kg G.W</li> </ul>	6m	2.15m
TWP-S-CA-6MX9K-STP-G-BT		2m octagonal box & topper	8.5m	2.85m
TWP-S-CA-8MX15K-STP-G	IP65	<ul style="list-style-type: none"> <li>• 8m</li> <li>• 15,000 LEDs</li> <li>• 1500 watts</li> <li>• 539kg G.W</li> </ul>	8m	2.85m
TWP-S-CA-8MX15K-STP-G-BT		2m octagonal box & topper	10.5m	3.50m

Tree specifications: Green powder coated aluminium sectional frame, premium green commercial garland, required controllers and transformers, 4G router and SIM card (with credit to cover Christmas period Oct-Jan), weatherproofed for outdoor use, trap door for internal access, supplied with 13A or 16A power lead.



Tree unboxed




Tree 2m octagonal base

# THE TRUSTED WAY TO KEEP YOUR OUTDOOR ELECTRICAL CONNECTIONS DRY


IP RATING  
**55**



200



285



330



DRIBOX BRANDING /// INTEGRATED CABLE GUIDE /// CABLE TIE LOCKING MECHANISM

# DRIBOX™

CONNECTIONS MADE SIMPLE

Small and volume orders catered for!



SALES@DRI-BOX.COM  
+44 (0)1257 792111  
DRI-BOX.COM



## The Twinkly UK showroom is open!

Based in Chorley, in the heart of Lancashire, you'll be able to see the revolutionary Twinkly products in action, test the latest technology first-hand and see what's new for the brand.

The showroom showcases the versatility of these amazing lights and their numerous applications; with areas dedicated to weddings and events, Christmas, window installations, and domestic home and garden displays, to name a few.

There are 31,000 LEDs in the Twinkly Pro section alone, which are all controllable via the Twinkly app or cloud; this really has to be seen to be believed!

If you have a store and are interested in stocking Twinkly products as a reseller, contact us directly to discuss the best package for you. If you're looking to create your own display using the Twinkly Pro range, our knowledgeable Projects team can manage any project, from design to take down, whilst boasting access to an approved installation network.

The showroom is open year-round, so make an appointment today for an unforgettable visit to this innovative space! Visits to the showroom are by appointment only, so book your visit on the Business website or call up to confirm your visit.




[business.festive-lights.com/showroom](https://business.festive-lights.com/showroom)

+44 (0)1257 228288

**Showroom address**  
Disklok House  
Preston Road, Charnock Richard  
Chorley, Lancashire  
PR7 5HH

Open Monday-Friday, 9-5pm.  
Appointment only.



## FestiveLights™ For business

**Buy Online 24/7:** [business.festive-lights.com](https://business.festive-lights.com)

**Call us:** 01257 221966 / Mon - Fri: 9am - 5pm

**Email:** [business@festive-lights.com](mailto:business@festive-lights.com)

Festive Lights Ltd, Disklok House, Preston Road,  
Charnock Richard, Chorley, Lancashire, PR7 5HH, UK  
**Company Reg No:** 5404923, **VAT Reg No:** GB 864281901

Part of the FL Group

**Festive  
Lights™**

**FestiveLights™**  
For business

**twinkly™**

**DRiBOX™**  
CONNECTIONS MADE SIMPLE

**MiRiDER™**  
Folding eBike

**disklok™**