



# Winter Brochure

2023/2024

**FestiveLights™**  
For business



# Welcome to the Festive Lights for Business winter brochure, 2023/2024

When it comes to decorative lighting, we're the best in the biz. We have the knowledge and expertise that only comes from having over 20 years' experience under your belt. So, whether you're after a tailor-made quote or a bespoke product, you'll never have to settle for anything less than the best.

Within this brochure, you'll discover our meticulously curated connectable ranges, a reflection of our dedication to innovation, reliability, and versatility. These ranges are the result of years of experience in the market, showcasing our commitment to excellence.

The lighting industry is in a constant state of evolution and rapid advancement, which drives us to continuously expand and enhance our product offerings to stay at the forefront of innovation. Our sprawling 76,500sqft distribution centre is stocked to capacity, ensuring that everything essential for your event is readily available and easily accessible.

While our expertise lies in commercial decorative seasonal lighting, our product ranges are also exceptionally suited for weddings, hotels, corporate events, hospitality, and festivals. Whether your project is grand in scale or more intimate, we're fully equipped to provide the support you need. Plus, our various delivery options ensure that transforming your celebration into the standout event of the season, is as simple as a click or a swift phone call away.

Our dedicated business team is here to guide you, so please don't hesitate to get in touch to find out how we can help.

Your Festive Business Team



## Contents



### CONNECTPRO®

|    |                      |
|----|----------------------|
| 8  | ConnectPro® Overview |
| 10 | String Lights        |
| 12 | Icicle Lights        |
| 14 | Festoon Lights       |
| 19 | Cluster Lights       |
| 20 | Curtain              |
| 21 | Net                  |
| 22 | Garlands             |
| 24 | Pinecone Lights      |
| 25 | Tree Toppers         |
| 26 | Motifs               |
| 28 | Rope Light           |
| 30 | Neon Flex            |
| 32 | Strip Light          |
| 34 | Accessories          |

### Colour Select Lights

|    |                        |
|----|------------------------|
| 68 | Colour Select Overview |
| 69 | String Light           |
|    | Icicle Light           |
|    | Festoon Light          |
|    | Rope Light             |
|    | Accessories            |

### CONNECTGO®

|    |                        |
|----|------------------------|
| 36 | ConnectGo® Overview    |
| 38 | String Lights          |
| 40 | Icicle Lights          |
| 42 | Festoon Lights         |
| 46 | Cluster Lights         |
| 47 | Garland                |
| 48 | Commercial Garland     |
| 49 | Commercial Wreath      |
| 50 | Commercial Star Wreath |
| 51 | Commercial Archway     |
| 52 | Commercial Cone Trees  |
| 54 | Curtains               |
| 55 | Nets                   |
| 56 | Silhouettes            |
| 57 | Figures                |
| 58 | Accessories            |



|    |                        |
|----|------------------------|
| 71 | Twinkly Silhouettes    |
| 72 | Twinkly Garland        |
| 73 | Twinkly Wreath         |
| 74 | Twinkly Star Wreath    |
| 75 | Twinkly Archway        |
| 76 | Twinkly 4m Cone Tree   |
| 77 | Twinkly 6m Cone Tree   |
| 78 | Twinkly Pro & Brochure |

### FESTOONPRO®

|    |                      |
|----|----------------------|
| 60 | FestoonPro® Overview |
| 62 | Belts                |
| 64 | Polycarbonate Bulbs  |
| 65 | Glass Bulbs          |
| 66 | Accessories          |

### Other

|    |                    |
|----|--------------------|
| 70 | 4m & 6m Cone Trees |
| 80 | Showroom Visit     |
| 82 | DRiBOX™            |
| 83 | MiRiDER™           |




# Our group journey so far...

Festive Lights emerged as a family-operated business with origins breaking away from the norm. Following a manufacturing expedition to Taiwan, and a shipment of lights in 1999, Festive Lights was born.

From extending our services to encompass business orders in 2003, to the introduction of the DRiBOX in 2008, we have remained dedicated to swiftly and considerably addressing solutions driven by our customers desires and necessities.

More recently, we have broadened our operation in 2019 with the launch of MiRider - a folding e-bike that is capturing numerous awards and accolades!



# Benefits of a business account

Exclusive business pricing and benefits accessed through your online business account.

**MARKET LEADING SYSTEMS**  
 We won't settle for anything less than the best quality and technology to stay ahead of trends.

**STOCK AVAILABILITY**  
 We've got the product ranges to make sure you've got everything you need to bring every event to light.

**BUSINESS DISCOUNTS**  
 Exclusive business pricing and benefits, bundled in your business account.

**WE ARE DELIVERING**  
 Whether it's next day delivery or delivery next week, we have you covered.

## Friendly and reliable service you can trust

Our lights offer excellent performance, safety and versatility to bring your display to life, and our five-star quality customer service is always on hand to offer you the best advice and recommendations.

So, whether you're looking to adorn your event in sparkling lights, or add a subtle warming glow, our lights are guaranteed to turn heads in any setting.

Some of our valued customers include:





# Our switch to sustainable packaging

We have recently introduced FSC certified bags and boxes, ensuring a sustainable and safe delivery process for our valued customers. Recognising the pivotal role packaging plays in the overall customer experience, our commitment to delivering products with the utmost care and eco-friendliness remains unwavering.

Our high-quality and reliable products are designed to minimise faults and repairs, resulting in reduced carbon emissions. By choosing our eco-friendly solutions, you will not only benefit from top-notch performance but also contribute to a greener and more sustainable future.

We actively promote recycling practices whenever feasible or economically viable, aiming to contribute to a greener and more responsible approach to waste management. Our commitment involves implementing strategies to minimise waste generation while ensuring that any waste produced is appropriately labelled, stored, and disposed of.







CONNECT PRO®



## Superior quality lights, recommended by the professionals.

Offering reassuring performance for all commercial displays, this high quality connectable system uses durable rubber cabling and innovative bulb sealing technology.

You can connect up to 950m, or 7,600 LEDs, all from one plug, making this system perfect for large commercial lighting displays. The whole system is rated IP65 and comes with a 2 year warranty, providing reassuring durability for prolonged outdoor displays.

We've taken extra special care of every detail with these lights, so you don't have to worry about anything, even down to the unique, wing-shaped connectors that make secure tightening effortless. The LEDs are glued into specially aligned polycarbonate caps, using epoxy resin, which ensures a reliable and consistent electrical connection and superior protection against moisture ingress.




IP65



UK  
CA



Mix and match products within the range  
Male and female connectors slot together until the rubber seal is reached.  
Tighten the exterior cap using the wings, ensuring the connection is weatherproof.



SKU: MV021 system plug



Connector: 2 pins  
Max LED: 7,600 LEDs / 950m  
Fuse: 13A  
Max Wattage: 720W

Voltage: 220-240V ~  
Hertz: 50Hz  
Max Current Per LED: 20mA  
Rectifier: 4A Bridge



**Single power source**  
One plug powers a full display



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

### SYSTEM SPECIFICATION

**POWER:** 220-240V, 4A max.

**MAX LED NO:** 7,600

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**MAX WATTAGE:** 720W

**RUBBER CABLE TYPE:**  
Power lead 2 x 1.0mm<sup>2</sup> (H05RN-F)  
Light string 1 x 0.5mm<sup>2</sup> (H03RN-F)

### LED COLOUR KEY







**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

- POWER: 220-240V, 4A max.
- MAX LED NO: 7,600
- LED COLOUR TEMPERATURE:  
White 6,400K / Warm White 2,700K
- BULB SIZE: 7mm diameter
- BULB SPACING: 125mm
- CABLE TYPE: Rubber
- PER LED VOLTAGE: 3v



ConnectPro® String Lights



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens    | Watts |
|-------|-------------|--------------|--------|----------|-----------|-------|
| MV001 |             | Black        | 5m     | 40       | See right | 3.5w  |
| MV003 |             | Black        | 10m    | 80       | See right | 3.5w  |
| MV002 |             | Black        | 5m     | 40       | See right | 3.5w  |
| MV004 |             | Black        | 10m    | 80       | See right | 3.5w  |
| MV092 |             | Black        | 10m    | 80       | See right | 3.5w  |

ConnectPro® String Lights



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens    | Watts |
|-------|-------------|--------------|--------|----------|-----------|-------|
| MV032 |             | White        | 5m     | 40       | See below | 3.5w  |
| MV007 |             | White        | 10m    | 80       | See below | 3.5w  |
| MV069 |             | White        | 3m     | 24       | See below | 3.5w  |

LUMENS PER 5M STRING: White 180, Warm White 160, Blue 60, Multi 160, Red 40, Green 160, Pink 60, Gold 60.  
LUMENS PER 10M STRING: White 360, Warm White 320, Blue 120, Multi 320.



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

- POWER: 220-240V, 4A max.
- MAX LED NO: 7,600
- LED COLOUR TEMPERATURE:  
White 6,400K / Warm White 2,700K
- BULB SIZE: 7mm diameter
- BULB SPACING: 125mm
- CABLE TYPE: Rubber
- PER LED VOLTAGE: 3v







**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved




**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LED NO: 7,600   |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 7mm diameter                                     |
| BULB SPACING: 100mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |

ConnectPro® Icicle Lights




Drop lengths - 30cm, 40cm,  
60cm and 40cm



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| MV088 |             | White        | 2m     | 60       | 240    | 3.5w  |
| MV089 | FLASH       | White        | 2m     | 60       | 240    | 3.5w  |
| MV011 |             | White        | 5m     | 120      | 480    | 7w    |
| MV012 | FLASH       | White        | 5m     | 120      | 480    | 7w    |
| MV048 | WHITE FLASH | White        | 5m     | 120      | 480    | 7w    |

ConnectPro® Icicle Lights



Drop lengths - 30cm, 40cm,  
60cm and 40cm



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| MV086 |             | Black        | 2m     | 60       | 200    | 3.5w  |
| MV087 | FLASH       | Black        | 2m     | 60       | 140    | 3.5w  |
| MV009 |             | Black        | 5m     | 120      | 480    | 7w    |
| MV010 | FLASH       | Black        | 5m     | 120      | 480    | 7w    |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LED NO: 7,600   |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 7mm diameter                                     |
| BULB SPACING: 100mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |





**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX BULB NO: 1,600  |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 45-60mm diameter                                 |
| BULB SPACING: 500mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |
| REPLACEABLE BULBS: No                                       |



**ConnectPro® Festoon Lights**



MV064  
G45 clear bulb  
Fixed bulbs  
Product spec on page 15



MV065  
G45 frosted bulb  
Fixed bulbs  
Product spec on page 16



MV066  
G45 frosted bulb  
Fixed bulbs  
Product spec on page 17





MV071  
A60 filament effect  
Fixed bulbs  
Product spec on page 18



**ConnectPro® Festoon Lights**

G45 clear bulb



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| MV064 |             | Black        | 5m     | 10       | 200    | 3.5w  |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX BULB NO: 1,600  |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 45mm diameter                                    |
| BULB SPACING: 500mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |
| REPLACEABLE BULBS: No                                       |







**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX BULB NO: 1,600  |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 45mm diameter                                    |
| BULB SPACING: 500mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |
| REPLACEABLE BULBS: No                                       |

ConnectPro® Festoon Lights

G45 frosted bulb



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| MV065 |             | White        | 5m     | 10       | 140    | 3.5w  |



ConnectPro® Festoon Lights

G45 frosted bulb



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| MV066 |             | Black        | 5m     | 10       | 140    | 3.5w  |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX BULB NO: 1,600  |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 45mm diameter                                    |
| BULB SPACING: 500mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |
| REPLACEABLE BULBS: No                                       |





**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX BULB NO: 1,600  |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 60mm diameter                                    |
| BULB SPACING: 500mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |
| REPLACEABLE BULBS: No                                       |





ConnectPro® Festoon Lights

A60 filament effect



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| MV071 |             | Black        | 5m     | 10       | 140    | 3.5w  |

ConnectPro® Cluster Lights



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| MV054 |             | Black        | 5m     | 250      | 1,000  | 17.5w |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LED NO: 7,600   |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 7mm diameter                                     |
| BULB SPACING: 20mm  |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |







**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved




**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION


|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LED NO: 7,600   |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 7mm diameter                                     |
| BULB SPACING: 100mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |

ConnectPro® Curtain



| SKU   | LED Colours | Cable Colour | Size    | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|---------|----------|--------|-------|
| MV056 |             | White        | 2m x 2m | 400      | 1,600  | 17.5w |

ConnectPro® Nets



| SKU   | LED Colours | Cable Colour | Length  | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|---------|----------|--------|-------|
| MV081 |             | Black        | 2m x 2m | 180      | 720    | 17.5w |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LED NO: 7,600   |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 7mm diameter                                     |
| BULB SPACING: 120mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |





**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved




**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LED NO: 7,600   |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 7mm diameter                                     |
| BULB SPACING: 120mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |



ConnectPro® Garlands



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| MV061 |             | Black        | 3m     | 40       | 160    | 3.5w  |

ConnectPro® Garlands



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| MV068 |             | Black        | 3m     | 40       | 160    | 3.5w  |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LED NO: 7,600   |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 7mm diameter                                     |
| BULB SPACING: 120mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |







**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LED NO: 7,600   |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| BULB SIZE: 60mm length                                      |
| BULB SPACING: 200mm   |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |

ConnectPro® Pinecones




| SKU   | LED Colours | Cable Colour | Size | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|------|----------|--------|-------|
| MV013 |             | Black        | 10m  | 50       | 200    | 3.5w  |

ConnectPro® Tree Toppers



NEW



| SKU   | LED Colours | Size                | Bulb No. | Lumens | Watts |
|-------|-------------|---------------------|----------|--------|-------|
| MT116 |             | 430mm(H) x 400(W)mm | 180      | 1,050  | 15w   |
| MT117 |             | 580mm(H) x 510(W)mm | 240      | 1,400  | 20w   |
| MT118 |             | 700mm(H) x 620(W)mm | 300      | 1,750  | 25w   |

MT116 LUMENS: Warm white 1,029  
MT117 LUMENS: Warm White 1,372  
MT117 LUMENS: Warm White 1,715.



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX WATTAGE: 720w   |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| FRAME MATERIAL: Aluminium                                   |
| FUNCTION: Static  |
| CABLE TYPE: Rubber  |
| PER LED VOLTAGE: 3v   |





**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

POWER: 220-240V, 4A max.

MAX LED NO: 7,600

LED COLOUR TEMPERATURE:  
White 6,400K / Warm White 2,700K






FIXINGS INCLUDED: Yes

FRAME MATERIAL: Aluminium

FUNCTION: Static with twinkle/flash






PER LED VOLTAGE: 3v

ConnectPro® Motifs



| SKU   | Size         | Bulb No. | Watts |
|-------|--------------|----------|-------|
| MT021 | 2m x 0.9m    | 558      | 18.5w |
| MT023 | 4.4m x 1.1m  | 1,781    | 102w  |
| MT028 | 0.95m x 0.7m | 145      | 10w   |
| MT033 | 2m x 0.8m    | 425      | 25.5w |
| MT035 | 1.5m x 0.75m | 492      | 30w   |
| MT036 | 2m x 0.9m    | 639      | 35w   |

ConnectPro® Motifs



| SKU   | Size          | Bulb No. | Watts |
|-------|---------------|----------|-------|
| MT047 | 0.9m x 1.03m  | 360      | 25.5w |
| MT048 | 0.74m x 1m    | 330      | 19w   |
| MT049 | 0.88m x 1.09m | 336      | 22.5w |
| MT066 | 1.8m x 1.1m   | 882      | 54.6w |
| MT071 | 1.7m x 0.65m  | 510      | 25w   |
| MT073 | 2m x 1m       | 900      | 37w   |

ALTERNATIVE POWER OPTION SKU: MV076 16A commando socket



Connector: 2 pins  
Max LED: 7,600 LEDs / 950m  
Fuse: 13A  
Max Wattage: 720W

Voltage: 220-240V ~  
Hertz: 50Hz  
Max Current Per LED: 20mA  
Rectifier: 4A Bridge



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

POWER: 220-240V, 4A max.

MAX LED NO: 7,600

LED COLOUR TEMPERATURE:  
White 6,400K / Warm White 2,700K

FIXINGS INCLUDED: Yes

FRAME MATERIAL: Aluminium

FUNCTION: Static with twinkle/flash

PER LED VOLTAGE: 3v





**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved




**Mix & Match**  
Full system compatibility

Our market leading cut-to-length rope light allows you to create a fully bespoke display that's entirely tailored to your individual needs. We can cut from 1m to 100m off the reel, in which you can have an end cap or female connector that allows you to add more lengths, colours and all ConnectPro® products and accessories in one display all from one plug! This solution offers effortless indoor and outdoor plug-and-play functionality, making it ideal for a wide spectrum of applications.



## ConnectPro® Rope Light



MV021

| SKU   | LED Colours | LEDs/m | Lumens/m  | Watts/m                         |
|-------|-------------|--------|-----------|---------------------------------|
| RL001 |             | 36     | See below | 2.3w<br>3.5w - red / yellow LED |

LUMENS: White 90, Warm White 90, Blue 18, Multi 90, Red 13, Green 90, Pink 13.

An end cap or female connector is required for each length of rope light ordered.

## ConnectPro® Rope Light



AC-CON



AC-CAP



FL-605



RL006

| SKU    | Use                       | Colour | Quantity         |
|--------|---------------------------|--------|------------------|
| MV021  | 2m starter cable, UK plug | Black  | 1                |
| AC-CON | Female connector          | Black  | 1                |
| AC-CAP | End cap                   | Clear  | 1                |
| FL-605 | Mount clips               | Clear  | Pack of 10 clips |
| RL006  | 1m PVC strip              | Clear  | 1                |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

### PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LENGTH: 200m (2 x 100m reels)                           |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| TUBE SIZE: 13mm diameter                                    |
| TOTAL REEL LENGTH: 100m                                     |
| CUTTING POINTS: Every 1m                                    |
| PER LED VOLTAGE: 3v   |







**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

Our market leading cut-to-length neon flex allows you to create a fully bespoke display that's entirely tailored to your individual needs. We can cut from 1m to 50m off the reel, in which you can have an end cap or female connector that allows you to add more lengths, colours and all ConnectPro® products and accessories in one display all from one plug! The biggest and most exciting trend to hit the lighting world, every commercial display needs neon!



## ConnectPro® Neon Flex



MV021

| SKU   | LED Colours | LEDs/m | Lumens/m  | Watts/m |
|-------|-------------|--------|-----------|---------|
| RL015 |             | 120    | See below | 9w      |

LUMENS: White 213, Warm White 225, Blue 96, Red 46, Green 102, Pink 108.

An end cap or female connector is required for each length of neon flex ordered.

## ConnectPro® Neon Flex



AC-CON-N



AC-CAP-N



FL-605



RL006

| SKU      | Use                       | Colour | Quantity         |
|----------|---------------------------|--------|------------------|
| MV021    | 2m starter cable, UK plug | Black  | 1                |
| AC-CON-N | Female connector          | Black  | 1                |
| AC-CAP-N | End cap                   | Clear  | 1                |
| FL-605   | Mount clips               | Clear  | Pack of 10 clips |
| RL006    | 1m PVC strip              | Clear  | 1                |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

### PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LENGTH: 50m (1 x 50m reel)                              |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| TUBE SIZE: 17 x 7mm diameter                                |
| TOTAL REEL LENGTH: 50m                                      |
| CUTTING POINTS: Every 1m                                    |
| PER LED VOLTAGE: 3v   |







**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

Our market leading cut-to-length strip light allows you to create a fully bespoke display that's entirely tailored to your individual needs. We can cut from 1m to 100m off the reel, in which you can have an end cap or female connector that allows you to add more lengths, colours and all ConnectPro® products and accessories in one display all from one plug! Illuminate your space with the vibrant glow and versatility of our strip Lights, adding a touch of class to any setting.



## ConnectPro® Strip Light




| SKU   | LED Colours | LEDs/m | Lumens/m  | Watts/m |
|-------|-------------|--------|-----------|---------|
| RL014 |             | 60     | See below | 5w      |

LUMENS: White 350, Warm White 343, Blue 42, Red 80, Green 146, Pink 64.

An end cap or female connector is required for each length of strip light ordered.

## ConnectPro® Strip Light



| SKU      | Use                       | Colour | Quantity         |
|----------|---------------------------|--------|------------------|
| MV021    | 2m starter cable, UK plug | Black  | 1                |
| AC-CON-S | Female connector          | Black  | 1                |
| AC-CAP-S | End cap                   | Clear  | 1                |
| AC115    | Mount clips               | Clear  | Pack of 10 clips |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

### PRODUCT SPECIFICATION

|   |
|---|
| POWER: 220-240V, 4A max.                                    |
| MAX LENGTH: 100m (1 x 100m reel)                            |
| LED COLOUR TEMPERATURE:<br>White 6,400K / Warm White 2,700K |
| TUBE SIZE: 12 x 7mm diameter                                |
| TOTAL REEL LENGTH: 100m                                     |
| CUTTING POINTS: Every 1m                                    |
| PER LED VOLTAGE: 3v   |





**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 220-240V, 4A max.

**MAX LED NO:** 7,600

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**CABLE TYPE:** Rubber

ConnectPro® Accessories



ConnectPro® Accessories



| SKU      | Use                         | Cable Colour   | Output No. | Size / Length |
|----------|-----------------------------|----------------|------------|---------------|
| MV021    | UK starter cable            | Black or white | 1          | 2m            |
| MV021-EU | EU starter cable            | Black or white | 1          | 2m            |
| MV076    | 16A commando socket         | Black          | 1          | 2m            |
| MV091    | Timer controller            | Black          | 1          | 27.5cm        |
| MV058    | 2m extension                | Black or white | 1          | 2m            |
| MV022    | 5m extension                | Black or white | 1          | 5m            |
| MV023    | 10m extension               | Black or white | 1          | 10m           |
| MV025    | 9 port curtain              | Black or white | 9          | 1m            |
| MV029    | T cord                      | Black or white | 2          | 17.5cm        |
| MV024    | Y cord                      | Black or white | 2          | 1m            |
| MV057    | 3 way splitter              | Black or white | 3          | 32cm          |
| MV059    | 9 port ring                 | Black or white | 9          | 30cm          |
| MV026    | 5 port ring                 | Black or white | 5          | 12.5cm        |
| 8812029  | Catenary wire               | Dark green     | -          | 18m           |
| AC126    | Steel festoon pole          | Steel          | -          | 1.5m or 2.4m  |
| AC127    | Shepherd crook festoon pole | Steel          | -          | 1.5m or 2.4m  |



**2 Year Warranty**  
Our most durable system



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 220-240V, 4A max.

**MAX LED NO:** 7,600

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**CABLE TYPE:** Rubber





# CONNECT GO®



## Connectable lights with a difference – you pick the power!

The most versatile range of connectable lights we've ever stocked, the ConnectGo® system gives you ultimate flexibility for your lighting display.

At the cutting edge of low voltage, multi-power-source lighting, this system offers you excellent performance, safety and versatility. Including all of our bestselling lighting products, like string lights, festoons and curtain lights, everything in this range can be powered by either solar, battery, or 31V mains power.

The high quality PVC cable ensures durability in all weather and is backed by our market leading, 2 year anti-rust guarantee. All the products in this revolutionary range feature our professionally moulded connections, which are designed with shaped wings for a reassuringly strong connection.

There are six power supplies to choose from, for whatever your display needs, so you can power from 50 to 4,000 LEDs (400 metres), all with multifunction capability.





IP44



UK  
CA



**Mix and match products within the range**  
Male and female connectors slot together until the rubber seal is reached.  
Tighten the exterior cap using the wings, ensuring the connection is weatherproof.



**SKU: CG025 large system power pack**

**Connector:** 2 pins  
**Max LED:** 4,000 LEDs / 1,000 LEDs per port  
**Multi-functions:** Steady On, Combination, In Waves, Sequential, Slow-Glow, Flash, Slow Fade, Twinkling

**Fuse:** 3A  
**Max Wattage:** 60W  
**Voltage:** 31V  
**Hertz:** 50Hz  
**Max Current Per LED:** 20mA  
**Memory Function:** Yes



**Multi-power source**  
Plug, battery or solar



**2 Year Warranty**  
Our most durable system



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

### SYSTEM SPECIFICATION

**POWER:** 31V, DC.

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**MAX WATTAGE:** 60W large power pack  
36W medium power pack  
8.4W small power pack

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**CABLE TYPE:** PVC 2 x 0.3mm<sup>2</sup>  
Rubber 1 x 0.5mm<sup>2</sup>

**MULTI-FUNCTION:** Yes

**DIMMABLE:** Yes (only with CG052)

### LED COLOUR KEY







**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4mm diameter

**BULB SPACING:** 100mm

**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)




ConnectGo® Fairy Lights



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| CG002 |             | Dark Green   | 5m     | 50       | 225    | 0.68w |
| CG001 |             | Clear        | 5m     | 50       | 225    | 0.68w |
| CG042 |             | Dark Green   | 5m     | 50       | 200    | 0.68w |
| CG026 |             | Wire         | 5m     | 50       | 200    | 0.68w |

LUMENS: White 225, Warm White 200, Blue 75, Multi 200, Green 200, Pink 75, Red 50, Purple 75, Gold 50.

ConnectGo® String Lights



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| CG027 |             | Black        | 10m    | 100      | 400    | 1.36w |

CG027 LUMENS: White 450, Warm White 400, Multi 400.

CG027 is black rubber cable and now rated to IP65 standards



**2 Year Warranty**  
Excellent performance & safety



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K


**BULB SIZE:** 7mm diameter

**BULB SPACING:** 100mm

**CABLE TYPE:** Rubber

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)







**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**BULB SPACING:** 90mm


**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v


**DIMMABLE:** Yes (only with CG052)







ConnectGo® Icicle Lights




Drop lengths - 30cm, 70cm,  
40cm and 60cm
















| SKU   | LED Colours   | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|---|--------------|--------|----------|--------|-------|
| CG037 |   | Black        | 2m     | 100      | 400    | 1.36w |
| CG035 |   | Black        | 5m     | 200      | 800    | 2.73w |

ConnectGo® Icicle Lights



Drop lengths - 30cm, 70cm,  
40cm and 60cm



| SKU   | LED Colours   | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|---|--------------|--------|----------|--------|-------|
| CG036 |       | Clear        | 2m     | 100      | 400    | 1.36w |
| CG003 |       | Clear        | 5m     | 200      | 800    | 2.73w |



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**BULB SPACING:** 90mm

**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)





**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 1 set  
CG005 D battery box = 2 sets  
CG006 solar panel = 1 sets  
CG052 small transformer = 2 sets  
CG008 medium transformer = 11 sets  
CG025 large transformer = 20 sets, 5 per port

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 45-60mm diameter

**BULB SPACING:** 500mm

**CABLE TYPE:** Rubber

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)



**ConnectGo® Festoon Lights**



CG020  
A60 clear bulb  
Fixed bulbs  
Product spec on page 41



CG033  
A60 filament effect  
Fixed bulbs  
Product spec on page 42



CG048  
G45 frosted effect  
Fixed bulbs  
Product spec on page 43



**ConnectGo® Festoon Lights**



A60 clear bulb



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| CG020 |             | Black        | 5m     | 10       | 300    | 3.1w  |

CG020 is black rubber cable



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 1 set  
CG005 D battery box = 2 sets  
CG006 solar panel = 1 sets  
CG052 small transformer = 2 sets  
CG008 medium transformer = 11 sets  
CG025 large transformer = 20 sets, 5 per port

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 60mm diameter

**BULB SPACING:** 500mm

**CABLE TYPE:** Rubber

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)







**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

- POWER: 31V, DC.
- POWER OPTIONS:
  - CG004 AA battery box = 1 set
  - CG005 D battery box = 2 sets
  - CG006 solar panel = 1 sets
  - CG052 small transformer = 3 sets
  - CG008 medium transformer = 11 sets
  - CG025 large transformer = 20 sets, 5 per port
- MULTI-FUNCTION: Yes
- LED COLOUR TEMPERATURE:  
White 6,400K / Warm White 2,700K
- BULB SIZE: 60mm diameter
- BULB SPACING: 500mm
- CABLE TYPE: Rubber
- PER LED VOLTAGE: 3v
- DIMMABLE: Yes (only with CG052)



ConnectGo® Festoon Lights

A60 filament effect




| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| CG033 |             | Black        | 5m     | 10       | 160    | 3.1w  |

CG033 is black rubber cable

ConnectGo® Festoon Lights

G45 frosted bulb



| SKU   | LED Colours | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|--------|----------|--------|-------|
| CG048 |             | Black        | 5m     | 10       | 300    | 3.1w  |

CG048 is black rubber cable



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

- POWER: 31V, DC.
- POWER OPTIONS:
  - CG004 AA battery box = 1 set
  - CG005 D battery box = 2 sets
  - CG006 solar panel = 1 sets
  - CG052 small transformer = 2 sets
  - CG008 medium transformer = 11 sets
  - CG025 large transformer = 20 sets, 5 per port
- MULTI-FUNCTION: Yes
- LED COLOUR TEMPERATURE:  
White 6,400K / Warm White 2,700K
- BULB SIZE: 45mm diameter
- BULB SPACING: 500mm
- CABLE TYPE: Rubber
- PER LED VOLTAGE: 3v
- DIMMABLE: Yes (only with CG052)





**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**BULB SPACING:** 13.5mm


**CABLE TYPE:** PVC



**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)



ConnectGo® Cluster Lights



| SKU   | LED Colours   | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|---|--------------|--------|----------|--------|-------|
| CG032 |   | Clear        | 4m     | 300      | 1,200  | 4.2w  |
| CG039 |   | Dark Green   | 4m     | 300      | 1,200  | 4.2w  |

ConnectGo® Garland



| SKU   | LED Colours   | Cable Colour | Length | Bulb No. | Lumens | Watts |
|-------|---|--------------|--------|----------|--------|-------|
| CG014 |  | Dark Green   | 3m     | 50       | 200    | 0.68w |



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)







**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG005 D battery box = 400 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)

ConnectGo® Garland


Premium quality



| SKU   | LED Colours | Size               | Tips | Bulb No. | Lumens | Watts |
|-------|-------------|--------------------|------|----------|--------|-------|
| MT109 |             | 250cm(L) x 30cm(D) | 475  | 250      | 1,125  | 3.4w  |

ConnectGo® Wreath

Premium quality



| SKU   | LED Colours | Size                          | Tips | Bulb No. | Lumens | Watts |
|-------|-------------|-------------------------------|------|----------|--------|-------|
| MT111 |             | 120cm(H) x 120cm(W) x 30cm(D) | 998  | 250      | 1,125  | 3.4w  |



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG005 D battery box = 400 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)





**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG005 D battery box = 400 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**CABLE TYPE:** PVC


**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)



ConnectGo® Star Wreath

Premium quality



| SKU   | LED Colours | Size                          | Tips  | Bulb No. | Lumens | Watts |
|-------|-------------|-------------------------------|-------|----------|--------|-------|
| MT110 |             | 120cm(H) x 120cm(W) x 20cm(D) | 1,425 | 250      | 1,125  | 3.4w  |

ConnectGo® Archway

Premium quality



| SKU   | LED Colours | Size                           | Tips   | Bulb No. | Lumens | Watts |
|-------|-------------|--------------------------------|--------|----------|--------|-------|
| MT112 |             | 250cm(H) x 230cm(W) x 100cm(D) | 21,375 | 900      | 4,050  | 12.4w |



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)







**2 Year Warranty**  
Excellent performance & safety



**IP65**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 7mm diameter

**CABLE TYPE:** Rubber



ConnectGo® 4m Cone Tree

Premium quality



| SKU   | LED Colours | Size                           | Tips   | Bulb No. | Lumens | Watts |
|-------|-------------|--------------------------------|--------|----------|--------|-------|
| MT107 |             | 400cm(H) x 150cm(W) x 150cm(D) | 19,475 | 2,000    | 8,000  | 27.2w |

ConnectGo® 6m Cone Tree

Premium quality



| SKU   | LED Colours | Size                           | Tips   | Bulb No. | Lumens | Watts |
|-------|-------------|--------------------------------|--------|----------|--------|-------|
| MT108 |             | 600cm(H) x 215cm(W) x 215cm(D) | 48,925 | 4,000    | 16,000 | 54.4w |



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 7mm diameter

**CABLE TYPE:** Rubber







**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**BULB SPACING:** 100mm



**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)




**ConnectGo® Curtains**



| SKU   | LED Colours | Cable Colour | Size    | Bulb No. | Lumens    | Watts |
|-------|-------------|--------------|---------|----------|-----------|-------|
| CG023 |             | Clear        | 2m x 3m | 300      | 1,200     | 4.2w  |
| CG024 |             | Clear        | 1m x 1m | 100      | See below | 1.4w  |

CG024 LUMENS: White 450, Warm White 400.

**ConnectGo® Nets**



| SKU   | LED Colours | Cable Colour | Size    | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|---------|----------|--------|-------|
| CG028 |             | Dark Green   | 2m x 2m | 140      | 560    | 1.96w |
| CG029 |             | Dark Green   | 3m x 3m | 280      | 1,120  | 3.92w |



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**BULB SPACING:** 200mm

**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)







**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)




ConnectGo® Silhouettes



| SKU   | LED Colours | Cable Colour | Size | Bulb No. | Lumens | Watts |
|-------|-------------|--------------|------|----------|--------|-------|
| CG045 |             | Metal Frame  | 35cm | 30       | 120    | 0.42w |
| CG054 |             | Metal Frame  | 30cm | 30       | 120    | 0.42w |
| CG055 |             | Metal Frame  | 36cm | 70       | 280    | 0.98w |
| CG056 |             | Metal Frame  | 45cm | 90       | 360    | 1.26w |
| CG058 |             | Metal Frame  | 44cm | 110      | 440    | 1.54w |

ConnectGo® Figures



| SKU    | LED Colours | Material | Size | Bulb No. | Lumens | Watts |
|--------|-------------|----------|------|----------|--------|-------|
| CG049F |             | Wicker   | 1m   | 350      | 1,400  | 4.9w  |
| CG051F |             | Acrylic  | 70cm | 200      | 800    | 2.8w  |
| CG051K |             | Acrylic  | 56cm | 100      | 280    | 1.4w  |



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**LED COLOUR TEMPERATURE:**  
White 6,400K / Warm White 2,700K

**BULB SIZE:** 4.5mm diameter

**CABLE TYPE:** PVC

**PER LED VOLTAGE:** 3v

**DIMMABLE:** Yes (only with CG052)





**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**RUBBER CABLE:** 1 x 0.5mm<sup>2</sup>

**PVC CABLE:** 2 x 0.3mm<sup>2</sup>

**DIMMABLE:** Yes (only with CG052)

**ConnectGo® Accessories**



CG004  
AA battery system lights



CG005  
D battery system lights



CG006  
Solar Power system lights



CG052  
Small transformer power



CG008  
Medium transformer power



CG025  
Large transformer power



CG016  
EU power system lights



CG053  
EU power system lights

**ConnectGo® Accessories**



CG010  
Extend at any connection



CG011  
Branch off in 2 directions



CG017  
Curtain top with 10 ports



CG018  
Branch off in 9 directions




CG044  
Extend at any connection



8812029  
Catenary support wire



AC126  
Supporting festoon pole



AC127  
Supporting festoon pole

| SKU     | Use   | Cable Colour          | Output No. | Size / Length |
|---------|---|-----------------------|------------|---------------|
| CG004   | AA battery box                                  | Black or white        | 1          | 30cm          |
| CG005   | D battery box                                   | Black                 | 1          | 30cm          |
| CG006   | Solar panel                                     | Black                 | 1          | 30cm          |
| CG052   | Small transformer, UK plug, with remote control | Green or clear        | 1          | 5m            |
| CG008   | Medium transformer, UK plug                     | Black or white        | 1          | 5m            |
| CG025   | Large transformer, UK plug                      | Black                 | 1          | 5m            |
| CG016   | Small transformer, EU plug                      | Green                 | 1          | 5m            |
| CG010   | 5m extension                                    | Green or clear        | 1          | 5m            |
| CG011   | Y cord  | Green or clear        | 2          | 19cm          |
| CG017   | 10 port curtain                                 | Green, clear or white | 10         | 1.1m          |
| CG018   | 9 port ring                                     | Green, clear or white | 9          | 10cm          |
| CG044   | 5m extension, rubber cable                      | Black                 | 1          | 5m            |
| 8812029 | Catenary wire                                   | Dark green            | -          | 18m           |
| AC126   | Steel festoon pole                              | Steel                 | -          | 1.5m or 2.4m  |
| AC127   | Shepherd crook festoon pole                     | Steel                 | -          | 1.5m or 2.4m  |



**2 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**Mix & Match**  
Full system compatibility

**PRODUCT SPECIFICATION**

**POWER:** 31V, DC.

**POWER OPTIONS:**  
CG004 AA battery box = 200 LEDs  
CG005 D battery box = 400 LEDs  
CG006 solar panel = 200 LEDs  
CG052 small transformer = 600 LEDs  
CG008 medium transformer = 1,600 LEDs  
CG025 large transformer = 4,000 LEDs

**MULTI-FUNCTION:** Yes

**RUBBER CABLE:** 1 x 0.5mm<sup>2</sup>

**PVC CABLE:** 2 x 0.3mm<sup>2</sup>

**DIMMABLE:** Yes (only with CG052)





# FESTOONPRO®



## Flexible, professional, commercial quality festoon lighting.

The most popular choice for year round event lighting, festoons create show-stopping statement displays in every venue.

We designed this universal system to extend up to an impressive 750 metres, making sure it adapts to any occasion.

With rubber cable and a robust socket design, the belt is suitable for both temporary and permanent displays. The unique winged connections mean that extending the system is effortless but, more importantly, make a weathertight seal you can rely on. The belt also features 30cm, 50cm or 100cm socket spacing, and a rounded cable to be more aesthetically pleasing!

Our range has everything from modern LED G45s with opaque (0.5W) or transparent (1.2W) casings, to the latest vintage LED 'filaments' (4W) with dimmable capability. We also have our traditional shaped A60 bulbs, which are available in the timeless white and warm white LED colours, perfect for any event.



IP55



UK  
CA



### How to purchase FestoonPro®?

Our FestoonPro® range is the ultimate bespoke festoon lighting system. Connect up to 750m of quality rubber cable belts, in either black or white, choose and replace bulbs individually from our huge range of festoon bulbs, and create show-stopping displays. Here's how to do it:

1


Select a belt with E27 or B22 fitting (be sure to add the power cable too).

2


Choose and add bulbs that fit your belt e.g. E27 or B22.

3

(Optional) Add any additional accessories e.g. extension leads.




BELTS



POWER CABLE



GLASS BULBS



POLYCARBONATE BULBS

### Installation guidance:

Please note: the festoon belts must always be supported using a catenary wire.  
For maximum system guidance, please visit the festoon belt product page at [business.festive-lights.com](https://business.festive-lights.com).  
Example based on 2W bulbs and 50cm socket spacing, you can power up to 750 bulbs / 360m.



**Single power source**  
One plug powers a full display



**1 Year Warranty**  
Flexible, professional lighting



**IP55**  
UK weather approved



**Mix & Match**  
Full system compatibility

### SYSTEM SPECIFICATION

|   |
|---|
| POWER: 240V   |
| BULB SPEC: E27 (screw) or B22 (bayonet)             |
| MAX WATTAGE: 1,500W                                 |
| RUBBER CABLE TYPE: 2 x 1.5mm <sup>2</sup> (HO7RN-F) |
| BELT LENGTH: 5m / 10m                               |
| LAMP SOCKET SPACING: 30cm / 50cm / 1m               |
| REPLACEABLE BULBS: Yes                              |
| DIMMABLE: Yes (only with FL070)                     |

### LED COLOUR KEY

|       |            |                 |       |
|-------|------------|-----------------|-------|
|       |            |                 |       |
| White | Warm White | Blue            | Green |
|       |            |                 |       |
| Red   | Yellow     | Colour Changing | Black |

**Discontinued:** Please note the B22 range will not be restocked.





**1 Year Warranty**  
Flexible, professional lighting



**IP55**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 240V   |
| BULB SPEC: E27 (screw) or B22 (bayonet)             |
| MAX WATTAGE: 1,500W                                 |
| RUBBER CABLE TYPE: 2 x 1.5mm <sup>2</sup> (HO7RN-F) |
| BELT LENGTH: 5m / 10m                               |
| LAMP SOCKET SPACING: 30cm / 50cm / 1m               |
| REPLACEABLE BULBS: Yes                              |
| DIMMABLE: Yes (only with FL070)                     |



FestoonPro® Belts



| SKU   | Belt Colours | Fitting   | Length | Sockets | Spacing |
|-------|--------------|-----------|--------|---------|---------|
| FL048 | ●            | E27 & B22 | 5m     | 10      | 0.5m    |
| FL049 | ●            | E27 & B22 | 5m     | 15      | 0.3m    |
| FL010 | ●            | E27 & B22 | 10m    | 20      | 0.5m    |
| FL011 | ●            | E27 & B22 | 10m    | 10      | 1m      |

FestoonPro® Belts



| SKU   | Belt Colours | Fitting | Length | Sockets | Spacing |
|-------|--------------|---------|--------|---------|---------|
| FL017 | ●            | E27     | 10m    | 10      | 1m      |



**1 Year Warranty**  
Flexible, professional lighting



**IP55**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 240V   |
| BULB SPEC: E27 (screw) or B22 (bayonet)             |
| MAX WATTAGE: 1,500W                                 |
| RUBBER CABLE TYPE: 2 x 1.5mm <sup>2</sup> (HO7RN-F) |
| BELT LENGTH: 5m / 10m                               |
| LAMP SOCKET SPACING: 30cm / 50cm / 1m               |
| REPLACEABLE BULBS: Yes                              |
| DIMMABLE: Yes (only with FL070)                     |







**1 Year Warranty**  
Flexible, professional lighting



**IP55**  
UK weather approved




**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

- POWER: 240V
- BULB SPEC: E27 (screw) or B22 (bayonet)
- MAX WATTAGE: 1,500W
- RUBBER CABLE TYPE: 2 x 1.5mm<sup>2</sup> (HO7RN-F)
- BELT LENGTH: 5m / 10m
- LAMP SOCKET SPACING: 30cm / 50cm / 1m
- LED COLOUR TEMPERATURE: White 6,000K / Warm White 3,000K
- REPLACEABLE BULBS: Yes
- DIMMABLE: Yes (only with FL070)




FestoonPro® Polycarbonate Bulbs



| SKU      | Bulb Colours | Fitting   | Size (DIA x H) | Effect   | Dimmable | Lumens | Watts |
|----------|--------------|-----------|----------------|----------|----------|--------|-------|
| FL069    |              | E27 & B22 | 45mm x 68mm    | Frosted  | No       | 60-65  | 2w    |
| FL066    |              | E27 & B22 | 45mm x 68mm    | Filament | Yes      | 105    | 2w    |
| FL013RGB |              | E27 & B22 | 45mm x 68mm    | Frosted  | No       | 30     | 1.2w  |
| FL015    |              | E27 & B22 | 55mm x 100mm   | Strobe   | No       | 25     | 3.5w  |

FestoonPro® Glass Bulbs



| SKU   | Bulb Colours | Fitting | Size (DIA x H) | Dimmable | Lumens | Watts |
|-------|--------------|---------|----------------|----------|--------|-------|
| FL031 |              | E27     | 60mm x 106mm   | Yes      | 260    | 4w    |
| FL032 |              | E27     | 95mm x 135mm   | Yes      | 260    | 4w    |
| FL033 |              | E27     | 64mm x 140mm   | Yes      | 260    | 4w    |
| FL034 |              | E27     | 30mm x 185mm   | Yes      | 260    | 4w    |
| FL040 |              | E27     | 105mm x 175mm  | Yes      | 260    | 4w    |
| FL041 |              | E27     | 125mm x 155mm  | Yes      | 260    | 4w    |



**1 Year Warranty**  
Flexible, professional lighting



**IP55**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

- POWER: 240V
- BULB SPEC: E27 (screw) or B22 (bayonet)
- MAX WATTAGE: 1,500W
- RUBBER CABLE TYPE: 2 x 1.5mm<sup>2</sup> (HO7RN-F)
- BELT LENGTH: 5m / 10m
- LAMP SOCKET SPACING: 30cm / 50cm / 1m
- LED COLOUR TEMPERATURE: Warm White 2,100K
- REPLACEABLE BULBS: Yes
- DIMMABLE: Yes (only with FL070)





**1 Year Warranty**  
Flexible, professional lighting



**IP55**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 240V   |
| BULB SPEC: E27 (screw) or B22 (bayonet)             |
| MAX WATTAGE: 1,500W                                 |
| RUBBER CABLE TYPE: 2 x 1.5mm <sup>2</sup> (HO7RN-F) |
| BELT LENGTH: 5m / 10m                               |
| LAMP SOCKET SPACING: 30cm / 50cm / 1m               |
| REPLACEABLE BULBS: Yes                              |
| DIMMABLE: Yes (only with FL070)                     |

FestoonPro® Accessories



FL047  
Power all system lights



FL070  
Dimmer with remote



FL053  
16A commando socket



FL057  
Extend at any connection



FL067  
Extend at any connection



FL039-E27  
Blank plug for  
E27 sockets



FL051-E27  
0.5m pendant drop



FL052-E27  
1m pendant drop

FestoonPro® Accessories



FL059  
Branch off in 9 directions



FL058  
Branch off in 2 directions



AC126  
Supporting festoon pole



AC127  
Supporting festoon pole



8812029  
Catenary support wire

| SKU       | Use                         | Cable Colour   | Output No. | Size / Length |
|-----------|-----------------------------|----------------|------------|---------------|
| FL047     | UK starter cable            | Black or white | 1          | 2m            |
| FL070     | Starter cable with dimmer   | Black          | 1          | 2m            |
| FL053     | 16A commando socket         | Black          | 1          | 2m            |
| FL057     | 5m extension                | Black or white | 1          | 5m            |
| FL067     | 10m extension               | Black          | 1          | 10m           |
| FL039-E27 | E27 festoon stopper         | Black          | 1          | 5.5 x 4.5cm   |
| FL051-E27 | 0.5m pendant drop           | Black          | 1          | 0.5cm         |
| FL052-E27 | 1m pendant drop             | Black          | 1          | 1m            |
| FL059     | Ring connector              | Black or white | 9          | 30cm          |
| FL058     | Y cord                      | Black or white | 2          | 1m            |
| AC126     | Steel festoon pole          | Steel          | -          | 1.5m or 2.4m  |
| AC127     | Shepherd crook festoon pole | Steel          | -          | 1.5m or 2.4m  |
| 8812029   | Catenary wire               | Dark green     | -          | 18m           |



**1 Year Warranty**  
Flexible, professional lighting



**IP55**  
UK weather approved



**Mix & Match**  
Full system compatibility

PRODUCT SPECIFICATION

|   |
|---|
| POWER: 240V   |
| BULB SPEC: E27 (screw) or B22 (bayonet)             |
| MAX WATTAGE: 1,500W                                 |
| RUBBER CABLE TYPE: 2 x 1.5mm <sup>2</sup> (HO7RN-F) |
| BELT LENGTH: 5m / 10m                               |
| LAMP SOCKET SPACING: 30cm / 50cm / 1m               |
| REPLACEABLE BULBS: Yes                              |
| DIMMABLE: Yes (only with FL070)                     |






# Colour Select Lights




Our colour-changing lights add an extra dimension to your display.

With 8 different colours, including red, green, blue, white, yellow, sea blue, purple and multi-colour, these lights make every installation stand out from the crowd.

There's a handy 8 hour timer, for effortless lighting and even a remote control with a 20m range, so you can stay in control of your lights at the touch of a button. The lights feature 4 eye-catching functions, static, flash, chasing and wave and there's a speed setting too, so you can choose whether to have your lights flashing fast or slow.



# Colour Select Lights



NEW

| SKU   | LED Colours   | Cable Colour | Length       | Bulb No. | Lumens    | Watts |
|-------|---------------|--------------|--------------|----------|-----------|-------|
| MV094 | COLOUR SELECT | Black        | 10m          | 80       | See below | 20w   |
| MV101 | COLOUR SELECT | Black        | 5m           | 10       | See below | 10w   |
| MV096 | COLOUR SELECT | 13mm tube    | 1m intervals | 40/m     | See below | 10w   |
| MV104 | COLOUR SELECT | Black        | 5m           | 120      | See below | 30w   |

MV094/MV104 LUMENS Red LED: 80 Blue LED: 120 Green LED: 160 White LED: 360  
MV101/MV096 LUMENS Red LED: 40 Blue LED: 60 Green LED: 80 White LED: 360

# Colour Select Lights

- 2 Year Warranty**  
Our most durable system
- IP65**  
UK weather approved
- Mix & Match**  
Full system compatibility

## SYSTEM SPECIFICATION

POWER: 220-240V, 4A max.

MAX LED NO: 7,600

BULB SIZE:  
7mm diameter - strings & icicles  
45mm diameter - festoons  
13mm tubing - rope light

CABLE TYPE: Rubber

PER LED VOLTAGE: 3v

DIMMABLE: Yes (only with MV095B)

Note: MV096 rope light is IP44 rated.







**1 Year Warranty**  
Steel frame construction



**IP44**  
UK weather approved



**Indoor and Outdoor**  
Add your own lights  
and decorations

These towering cone Christmas trees are the perfect way to make an impressive statement during any home or commercial display, spread the joy to a crowd, or simply ramp up the Christmas cheer at home. There's no need to look any further than this soaring professional pine. If a realistic showstopper with astonishing craftsmanship is what you're after, then this is certainly the cone tree for you!



# Commercial Cone Tree


Premium quality



| SKU   | Tree Colour | Size                           | Tips   | Construction Pieces |
|-------|-------------|--------------------------------|--------|---------------------|
| MT107 | Green       | 400cm(H) x 150cm(W) x 150cm(D) | 19,475 | 2 pieces            |
| MT108 | Green       | 600cm(H) x 215cm(W) x 215cm(D) | 48,925 | 4 pieces            |

# Twinkly Silhouettes

Premium quality



| SKU              | LED Colours | Size         | Bulb No. |
|------------------|-------------|--------------|----------|
| TWM85X85STP-BUK  |             | 85cm x 85cm  | 250      |
| TWM125X65STP-BUK |             | 125cm x 65cm | 250      |



**1 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**App Control**  
Customise your own effects

## PRODUCT SPECIFICATION

|   |
|---|
| <b>POWER:</b> 24V, DC.                    |
| <b>CONNECTIVITY:</b> Bluetooth® and Wi-Fi |
| <b>MULTI-FUNCTION:</b> Yes, Twinkly app   |
| <b>CABLE COLOUR:</b> Black                |
| <b>BULB SIZE:</b> 4.3mm diameter          |
| <b>LEAD CABLE LENGTH:</b> 3.5m            |
| <b>TIMER:</b> Yes, Twinkly app            |
| <b>DIMMER:</b> Yes, Twinkly app           |







**1 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**App Control**  
Customise your own effects

#### PRODUCT SPECIFICATION

**POWER:** 24V, DC.

**CONNECTIVITY:** Bluetooth® and Wi-Fi

**MULTI-FUNCTION:** Yes, Twinkly app

**CABLE COLOUR:** Black

**BULB SIZE:** 4.3mm diameter



**LEAD CABLE LENGTH:** 3.5m

**TIMER:** Yes, Twinkly app

**DIMMER:** Yes, Twinkly app

## Twinkly Garland




Premium quality



| SKU        | LED Colours | Size               | Tips | Bulb No. |
|------------|-------------|--------------------|------|----------|
| MT109-TWLY |             | 250cm(L) x 30cm(D) | 475  | 250      |

## Twinkly Wreath

Premium quality



| SKU        | LED Colours | Size                          | Tips | Bulb No. |
|------------|-------------|-------------------------------|------|----------|
| MT111-TWLY |             | 120cm(H) x 120cm(W) x 30cm(D) | 998  | 250      |



**1 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**App Control**  
Customise your own effects

#### PRODUCT SPECIFICATION

**POWER:** 24V, DC.

**CONNECTIVITY:** Bluetooth® and Wi-Fi

**MULTI-FUNCTION:** Yes, Twinkly app

**CABLE COLOUR:** Black

**BULB SIZE:** 4.3mm diameter

**LEAD CABLE LENGTH:** 3.5m

**TIMER:** Yes, Twinkly app

**DIMMER:** Yes, Twinkly app







**1 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**App Control**  
Customise your own effects

#### PRODUCT SPECIFICATION

**POWER:** 24V, DC.

**CONNECTIVITY:** Bluetooth® and Wi-Fi

**MULTI-FUNCTION:** Yes, Twinkly app

**CABLE COLOUR:** Black

**BULB SIZE:** 4.3mm diameter




**LEAD CABLE LENGTH:** 3.5m

**TIMER:** Yes, Twinkly app

**DIMMER:** Yes, Twinkly app

## Twinkly Star Wreath




Premium quality



| SKU        | LED Colours | Size                          | Tips  | Bulb No. |
|------------|-------------|-------------------------------|-------|----------|
| MT110-TWLY |             | 120cm(H) x 120cm(W) x 20cm(D) | 1,425 | 250      |

## Twinkly Archway

Premium quality



| SKU        | LED Colours | Size                           | Tips   | Bulb No. |
|------------|-------------|--------------------------------|--------|----------|
| MT112-TWLY |             | 250cm(H) x 230cm(W) x 100cm(D) | 21,375 | 900      |



**1 Year Warranty**  
Excellent performance & safety



**IP44**  
UK weather approved



**App Control**  
Customise your own effects

#### PRODUCT SPECIFICATION

**POWER:** 24V, DC.

**CONNECTIVITY:** Bluetooth® and Wi-Fi

**MULTI-FUNCTION:** Yes, Twinkly app

**CABLE COLOUR:** Black

**BULB SIZE:** 4.3mm diameter

**LEAD CABLE LENGTH:** 3.5m


**TIMER:** Yes, Twinkly app

**DIMMER:** Yes, Twinkly app





**1 Year Warranty**  
Steel frame construction



**IP65**  
UK weather approved



**App Control**  
Customise your own effects

This 4m towering TwinklyPro cone Christmas tree is the perfect way to make an impressive statement during any commercial display, spread the joy to a crowd, or simply ramp up the Christmas cheer at your winter wonderland. Unlimited digital effects are achievable with hundreds of pre-set animations, and the tree can be further enhanced with custom animations. The high density of LEDs allows text and graphics to be displayed to promote events, business logos and corporate relationships.



## TwinklyPro 4m Cone Tree

Premium quality



For complete TwinklyPro cone tree specifications and available options, please get in touch with us.

## TwinklyPro 6m Cone Tree


Premium quality



For complete TwinklyPro cone tree specifications and available options, please get in touch with us.



**1 Year Warranty**  
Steel frame construction



**IP65**  
UK weather approved



**App Control**  
Customise your own effects

This 6m towering TwinklyPro cone Christmas tree is the perfect way to make an impressive statement during any commercial display, spread the joy to a crowd, or simply ramp up the Christmas cheer at your winter wonderland. Unlimited digital effects are achievable with hundreds of pre-set animations, and the tree can be further enhanced with custom animations. The high density of LEDs allows text and graphics to be displayed to promote events, business logos and corporate relationships.







## Next generation smart lighting for professionals.

Twinkly Pro comprises of smart addressable LEDs, and a connected mobile app, to create professional lighting displays.

The capability to create original, customisable lighting effects whilst saving resources and time has never been so easy. The online cloud portal provides a virtual space to manage an entire project remotely. Upgrade towns, cities, and shopping centers with ultimate flexibility, switching up events, festivals, and celebrations all year round.



WiFi / Bluetooth / Ethernet



Combine



Cloud Management



Upload Effects



Addressable LEDs



Automated Light Mapping

### Map and manage lights from the palm of your hand!

Thanks to the ethernet and WiFi connectivity, Project Managers can control single or multiple elements, syncing them together with ease. All of our controllers communicate with each other and the Twinkly app, allowing you to map and manage up to 100,000 lights from your palm.


Create your ideal scene, set your dream atmosphere, promote key events and cultural celebrations – all thanks to the cloud portal.



Liverpool FC



Manchester City FC




Visit the brochures page on our  
business website to download  
the full TwinklyPro brochure!



[business.festive-lights.com/brochures](https://business.festive-lights.com/brochures)





## Your Invitation - Our showrooms are open!

Witness first-hand our industry leading lighting products at the **Festive Lights for Business Showrooms**. Experience in-person our unrivalled **ConnectPro®**, **ConnectGo®** and **FestoonPro®** connectable lighting systems, as well as the magic of **Twinkly Pro**.

We have over 25 years of industry experience and our passionate business team will be more than happy to talk you through each of our systems, allow you to get hands-on with them, and ultimately ensure that you are empowered with the knowledge to make the best decision when it comes to your lighting installation.

The showrooms showcase the versatility of our commercial lighting ranges and their numerous applications. There are also areas dedicated to demonstrating the latest technologies from Twinkly and TwinklyPro. This revolutionary system alongside our commercial products and accessories need to be seen to be truly appreciated.

You can make an appointment by phone or alternatively via the online form accessible at the website address below.



### Northern Showroom address

Disklok House  
Preston Road, Charnock  
Richard  
Chorley, Lancashire  
PR7 5HH

### Southern Showroom address

Unit 9B, Suite A, Hall Farm Business Estate  
Church Road, Little Bentley  
Colchester  
C07 8SD

[business.festive-lights.com/showroom](https://business.festive-lights.com/showroom)

+44 (0)1257 228288





THE ORIGINAL WEATHERPROOF POWER CONNECTIONS BOX



THE TRUSTED WAY TO KEEP YOUR OUTDOOR ELECTRICAL CONNECTIONS DRY

IP RATING

55



DRiBOX BRANDING /// INTEGRATED CABLE GUIDE /// CABLE TIE LOCKING MECHANISM

**DRiBOX**<sup>TM</sup>  
CONNECTIONS MADE SIMPLE



Small and volume orders catered for!

SALES@DRI-BOX.COM

+44 (0)1257 792111

DRI-BOX.COM



Developed and assembled in the UK

**MiRiDER**<sup>TM</sup>

“  
LIGHT, AFFORDABLE AND  
COMPACT – THE BEST  
FOLDING E-BIKE  
”

techradar



Auto EXPRESS  
★★★★★

bikeradar  
★★★★★

techradar  
★★★★★

TECH ADVISOR  
★★★★★

ebiketips  
★★★★★

★★★★★  
Trustpilot

**MiRiDER**<sup>TM</sup>

01257 228242

hello@mirider.co.uk

MiRiDER, Unit 3, Croftwood Square,  
Wigan, WN5 0LG

**mirider.co.uk**



## FestiveLights™

For business

**Buy Online 24/7:** [business.festive-lights.com](https://business.festive-lights.com)

**Call us:** 01257 221966 / Mon - Fri: 9am - 5pm

**Email:** [business@festive-lights.com](mailto:business@festive-lights.com)

Festive Lights Ltd, Disklok House, Preston Road,  
Charnock Richard, Chorley, Lancashire, PR7 5HH, UK  
**Company Reg No:** 5404923, **VAT Reg No:** GB 864281901

Part of the FL Group


**Festive  
Lights™**

**FestiveLights™**  
For business

**DRiBOX™**

**MiRiDER™**

**disklok**



View the digital brochure  
by scanning this QR code.